

SUBJECT INDEX

NOTE: Abstract Index follows Author Index

A

Acanthamoeba keratitis

Laboratory diagnosis of *Acanthamoeba* keratitis using buffered charcoal-yeast extract agar, 590

Acquired immunodeficiency syndrome

Antiviral chemoprophylaxis after occupational exposure to human immunodeficiency virus (correspondence), 328

Epibulbar allergic granulomatous nodules in a human immunodeficiency virus positive patient, 844

Human immunodeficiency virus-associated vision loss: electroretinogram attenuation, 729

Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

Adenovirus infections

Photorefractive keratectomy for myopia in the setting of adenoviral subepithelial infiltrates, 829

The survival of adenovirus in multidose bottles of topical fluorescein, 835

Amblyopia

Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853

Amyloidosis

Gelatinous drop-like corneal dystrophy is not one of the Big-h3-mutated corneal amyloidoses, 832

Aneurysm

Management of submacular hemorrhage associated with retinal arterial macroaneurysms, 358

Angiography

Chorioretinal damage caused by the excision of choroidal neovascularization, 348

Choroidopathy after blunt trauma to the eye: a fluorescein and indocyanine green angiographic study, 248

Efficacy and safety of fluorescein angiography with orally administered sodium fluorescein, 560

Formation of retinochoroidal collaterals in central retinal vein occlusion, 91

Indocyanine green angiographic features in posterior scleritis, 471

Indocyanine green angiographic features of idiopathic submacular choroidal neovascularization, 70

Indocyanine green angiographic findings in nonproliferative diabetic retinopathy, 238

Indocyanine green angiography in enlarged blind spot syndrome, 604

Rash, fever, and chills after intravenous fluorescein angiography, 837

Aniridia

Effects of PAX6 mutations on retinal function: an electroretinographic study, 211

Genotype/phenotype correlations in aniridia, 203

Anterior eye segment

High-frequency Doppler ultrasound examination of blood flow in the anterior segment of the eye, 597

Antibodies

Differences between intraocular and serum antibody responses in patients with ocular toxoplasmosis, 698

Anticoagulants

Bilateral secondary angle-closure glaucoma as a complication of anticoagulation in a nanophthalmic patient, 307

Aphakia

Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602

Aqueous humor

Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191

Quantification of aqueous melanin granules in primary pigment dispersion syndrome, 425

Asia

Studies of prevalence of blindness in the Asia-Pacific region and the worldwide initiative in ophthalmic education (editorial), 582

B

Balloon dilatation

Balloon catheter dilation for treatment of adults with partial nasolacrimal duct obstruction: a preliminary report, 811

Bartter syndrome

Choroidal calcification in Bartter syndrome, 727

Biometry

Partial coherence interferometry: a novel approach to biometry in cataract surgery, 524

Biomicroscopy

Ultrasound biomicroscopic analysis of anterior proliferative vitreoretinopathy, 838

Ultrasound biomicroscopic detection of anterior ocular segment foreign body after trauma, 197

Blacks

Photorefractive keratectomy in African Americans including those with known dermatologic keloid formation, 625

Blepharoptosis

Autogenous palmaris longus tendon as frontalis suspension material for ptosis correction in children, 109

Ptosis in Waldenström's macroglobulinemia, 315

Blindness

Disturbance of sleep in blindness, 707

Prevalence of blindness and cataract surgery in Shunyi County, China, 506

Studies of prevalence of blindness in the Asia-Pacific region and the worldwide initiative in ophthalmic education (editorial), 582

Unilateral blindness after ipsilateral prophylactic transcranial optic canal decompression for fibrous dysplasia, 469

Blindness, cortical

Radiation-associated cerebral blindness, 609

Blood flow, ocular

A comparison of ocular blood flow in untreated primary open-angle glaucoma and ocular hypertension, 42

Distribution of prognostically important vascular patterns across multiple levels in ciliary body and choroidal melanomas, 373

Doppler ultrasound of blood flow velocities in ophthalmic and central retinal arteries during the early neonatal period, 691

High-frequency Doppler ultrasound examination of blood flow in the anterior segment of the eye, 597

Microcirculation architecture of metastases from primary ciliary body and choroidal melanomas, 303

Reperfusion of occluded capillary beds in diabetic retinopathy, 791

Retinal blood flow measurements in branch retinal vein occlusion using scanning laser Doppler flowmetry, 683

Books, Software, and Electronic Media

Atlas of Primary Eyecare Procedures, by Casser, L., Fingeret, M., and Woodcome, H. T. (book review), 614

Borish's Clinical Refraction, by Benjamin, W. J. (book review), 856

Cataract Surgery. The State of the Art, by Gills, J. P. (ed.), 331

Color Guide: Ophthalmology, Second edition, by Kanski, J. J. (book review), 478

Contact Lenses: Fundamentals and Clinical Use, by Stein, H. A., Freeman, M. I., Stein, R. M., and Maund, L. D., 331

Corneal Disorders—Clinical Diagnosis and Management, by Leibowitz, H. M., and Warring, G. O., III (book review), 855

Fluorescein and ICG Angiography Text and Atlas, by Richard, G. (book review), 854

Harley's Pediatric Ophthalmology. Fourth edition, by Nelson, L. B. (ed.) (book review), 745

LASIK, by Pallikaris, I., and Siganos, D. (eds.), 158

LASIK. Principles and Techniques, by Buratto, L., and Brint, S. F., 158

The Massachusetts Eye and Ear Infirmary Illustrated Manual of Ophthalmology, by Friedman, N. J. (book review), 854

Ocular Infection, Investigation, and Treatment, by Seal, D. V., Bron, A. J., and Hay, J. (book review), 746

Ophthalmic Diagnosis and Treatment, by Yanoff, M. (book review), 857

Ophthalmic Photography: A Textbook of Retinal Photography, Angiography, and Electronic Imaging, by Saine, P. J., and Tyler, M. E. (book review), 746

Phacoemulsification. Principles and Techniques, by Buratto, L. (ed.), 332

Sports Ophthalmology, by Zagelbaum, B. M., 330

Stereo Atlas of Glaucoma, by Campbell, D. G., and Netland, P. A. (book review), 615

Surgery for Hyperopia and Presbyopia, by Sher, N. A. (ed.) (book review), 157

Brinzolamide

Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400

C**Calcinosis**

Choroidal calcification in Bartter syndrome, 727

Capsulorhexis

Liquefied aftercataract: a complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule (correspondence), 612

Carbonic anhydrase inhibitors

Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400

Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191

Cardiovascular diseases

Diabetes, cardiovascular disease, selected cardiovascular disease risk factors, and the five-year incidence of age-related cataract and progression of lens opacities: the Beaver Dam Eye Study, 782

Carotid arteries

Ophthalmologic manifestations of internal carotid artery dissection, 565

Cataract

Cataract associations with pinguecula and pterygium: the Blue Mountains Eye Study, 717

Diabetes, cardiovascular disease, selected cardiovascular disease risk factors, and the five-year incidence of age-related cataract and progression of lens opacities: the Beaver Dam Eye Study, 782

Liquefied aftercataract: a complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule (correspondence), 612

Partial coherence interferometry: a novel approach to biometry in cataract surgery, 524

Prevalence of blindness and cataract surgery in Shunyi County, China, 506

Visual acuity and quality of life outcomes in patients with cataract in Shunyi County, China, 515

Chemoprevention

Antiviral chemoprophylaxis after occupational exposure to human immunodeficiency virus (correspondence), 328

Chemotherapy

Adjunctive daunorubicin in the treatment of proliferative vitreoretinopathy: results of a multicenter clinical trial, 550

Child

Accuracy of the Nidek ARK-900 objective refractor in comparison with retinoscopy in children ages 3 to 18 years, 100

Autogenous palmaris longus tendon as frontalis suspension material for ptosis correction in children, 109

Ciliary body endophotocoagulation during pars plana vitrec-

- tomy for pediatric patients with vitreoretinal disorders and glaucoma, 723
- Glaucomatocyclitic crisis in a child, 136
- Refractive changes after pediatric intraocular lens implantation, 772
- Trabeculectomy with adjunctive mitomycin C in pediatric glaucoma, 648
- China**
- Prevalence of blindness and cataract surgery in Shunyi County, China, 506
- Visual acuity and quality of life outcomes in patients with cataract in Shunyi County, China, 515
- Choroid**
- Chorioretinal damage caused by the excision of choroidal neovascularization, 348
- Choroidal calcification in Bartter syndrome, 727
- Choroidal neovascularization as a late complication of hyperparathyroidism, 320
- Choroidopathy after blunt trauma to the eye: a fluorescein and indocyanine green angiographic study, 248
- Clinicopathologic correlations of surgically excised type 1 and type 2 submacular choroidal neovascular membranes, 59
- The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and observations following enucleation COMS report No. 11, 362
- Distribution of prognostically important vascular patterns across multiple levels in ciliary body and choroidal melanomas, 373
- Giant pigment epithelial tear and exudative retinal detachment complicating choroidal effusions, 448
- Indocyanine green angiographic features of idiopathic submacular choroidal neovascularization, 70
- Microcirculation architecture of metastases from primary ciliary body and choroidal melanomas, 303
- Proton beam irradiation of choroidal hemangiomas, 261
- Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy (correspondence), 742
- Three-dimensional ultrasonography of choroidal melanoma: extrascleral extension, 842
- Cicatrix**
- Mitomycin C trabeculectomy in eyes with cicatricial conjunctiva, 823
- Ciliary body**
- Distribution of prognostically important vascular patterns across multiple levels in ciliary body and choroidal melanomas, 373
- Microcirculation architecture of metastases from primary ciliary body and choroidal melanomas, 303
- Cilioretinal artery**
- Familial dysplasminogenemia with central retinal vein and cilioretinal artery occlusion, 312
- Collaborative Ocular Melanoma Study**
- The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and observations following enucleation COMS report No. 11, 362
- Cones, retinal**
- Histopathologic and immunohistochemical study of dominant cone degeneration, 140
- Conjunctiva**
- Mitomycin C trabeculectomy in eyes with cicatricial conjunctiva, 823
- Contact lenses**
- Efficacy and safety of the Protek (Vifilcon A) therapeutic soft contact lens (correspondence), 328
- Cornea**
- Congenital sclerocorneal epithelial cyst, 740
- Corneal opacities in Gaucher disease, 833
- Corneal thickness and curvature in normal-tension glaucoma (correspondence), 326
- Neurotrophic corneal defects after diode laser cycloablation, 725
- Retroviral vector-mediated gene transfer into keratocytes in vitro and in vivo, 630
- Corneal dystrophies, hereditary**
- The classic form of granular corneal dystrophy associated with R555W mutation in the BIGH3 gene is rare in Japanese patients, 450
- Gelatinous drop-like corneal dystrophy is not one of the β ig-h3-mutated corneal amyloidoses, 832
- Granular corneal dystrophy with homozygous mutations in the kerato-epithelin gene, 169
- Two distinct kerato-epithelin mutations in Reis-Bücklers corneal dystrophy, 535
- Corneal transplantation**
- Corneal lenticular wrinkling after automated lamellar keratoplasty, 588
- A new surgical technique for deep lamellar keratoplasty with single running suture adjustment, 1
- Corrections**
- Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation for large choroidal melanoma. II: initial mortality findings. COMS Report No. 10, 125:779; correction, 622
- The effects of cataract extraction on the visual field of eyes with chronic open-angle glaucoma, 125:325; correction, 165
- Long-term tamoxifen citrate use and potential ocular toxicity, 125:493; correction, 338
- Crohn disease**
- Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607
- Cryotherapy**
- Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82
- Crystallization**
- Intraoperative crystallization on the intraocular lens surface, 177

Cyclitis

Glaucomatocyclitic crisis in a child, 136

Cyclosporine

Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607

Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy (correspondence), 742

Cyst

Congenital sclerocorneal epithelial cyst, 740

Cytomegalovirus infections

Discontinuing anticytomegalovirus therapy in patients with immune reconstitution after combination antiretroviral therapy, 817

Cytomegalovirus retinitis

Cytomegalovirus retinitis and viral resistance: 3. Culture results, 543

Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

D

Daunorubicin

Adjunctive daunorubicin in the treatment of proliferative vitreoretinopathy: results of a multicenter clinical trial, 550

Diabetes mellitus

Diabetes, cardiovascular disease, selected cardiovascular disease risk factors, and the five-year incidence of age-related cataract and progression of lens opacities: the Beaver Dam Eye Study, 782

Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82

Diabetic retinopathy

Indocyanine green angiographic findings in nonproliferative diabetic retinopathy, 238

Reperfusion of occluded capillary beds in diabetic retinopathy, 791

Dorzolamide

Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191

Drug approval

Regulatory review intervals for ophthalmic new drug applications at the US Food and Drug Administration, 122

Drusen

Malattia leventinese: refinement of the genetic locus and phenotypic variability in autosomal dominant macular drusen, 417

E

Eales disease

Peripheral retinal neovascularization (Eales disease) associated with the factor V Leiden mutation, 146

Electroretinography

Human immunodeficiency virus-associated vision loss: electroretinogram attenuation, 729

Multifocal electroretinogram indicates visual field loss in acute zonal occult outer retinopathy, 466

Endophthalmitis

Treatment of experimental *Staphylococcus epidermidis* endophthalmitis with oral trovafloxacin, 278

Eye banks

Use of microbubble ultrasound contrast agent to demonstrate the iris valve effect in human eye bank eyes, 719

Eye enucleation

The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and observations following enucleation COMS report No. 11, 362

A dummy orbit for training in diagnostic procedures and laser surgery with enucleated eyes, 464

Eyelid

Epithelioid cell Spitz nevus of the eyelid, 735

Trichoadenoma of the eyelid, 846

F

Factor V

Peripheral retinal neovascularization (Eales disease) associated with the factor V Leiden mutation, 146

Fibrous dysplasia of bone

Unilateral blindness after ipsilateral prophylactic transcranial optic canal decompression for fibrous dysplasia, 469

Fluorescein

Efficacy and safety of fluorescein angiography with orally administered sodium fluorescein, 560

Rash, fever, and chills after intravenous fluorescein angiography, 837

The survival of adenovirus in multidose bottles of topical fluorescein, 835

Foreign bodies

Intraocular mass simulating a retained foreign body, 149

Ultrasound biomicroscopic detection of anterior ocular segment foreign body after trauma, 197

Fovea centralis

Anatomic and functional recovery of the fovea after foveal translocation surgery without large retinotomy and simultaneous excision of a neovascular membrane, 839

Frontalis sling suspension

Autogenous palmaris longus tendon as frontalis suspension material for ptosis correction in children, 109

Fundus oculi

Normal values for fundus perimetry with the scanning laser ophthalmoscope, 52

G

Gaucher disease

Corneal opacities in Gaucher disease, 833

Genes

Association between MICA gene A4 allele and acute anterior uveitis in white patients with and without HLA-B27, 436

The classic form of granular corneal dystrophy associated with R555W mutation in the BIGH3 gene is rare in Japanese patients, 450

Effects of PAX6 mutations on retinal function: an electroretinographic study, 211

Gelatinous drop-like corneal dystrophy is not one of the β ig-h3-mutated corneal amyloidoses, 832

Genotype/phenotype correlations in aniridia, 203

Granular corneal dystrophy with homozygous mutations in the kerato-epithelin gene, 169

Malattia leventinese: refinement of the genetic locus and phenotypic variability in autosomal dominant macular drusen, 417

Retroviral vector-mediated gene transfer into keratocytes in vitro and in vivo, 630

A third locus (GLC1D) for adult-onset primary open-angle glaucoma maps to the 8q23 region, 17

Two distinct kerato-epithelin mutations in Reis-Bücklers corneal dystrophy, 535

Glaucoma

Ciliary body endophotocoagulation during pars plana vitrectomy for pediatric patients with vitreoretinal disorders and glaucoma, 723

Comparison of glaucomatous progression between untreated patients with normal-tension glaucoma and patients with therapeutically reduced intraocular pressures, 487

Corneal thickness and curvature in normal-tension glaucoma (correspondence), 326

The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma, 498

Glaucomatocyclitic crisis in a child, 136

Latanoprost treatment for glaucoma: effects of treating for 1 year and of switching from timolol, 390

Trabeculectomy with adjunctive mitomycin C in pediatric glaucoma, 648

The treatment of normal-tension glaucoma (editorial), 578

Use of latanoprost in the treatment of glaucoma associated with Sturge-Weber syndrome, 600

Glaucoma, angle-closure

Bilateral secondary angle-closure glaucoma as a complication of anticoagulation in a nanophthalmic patient, 307

Glaucoma, open-angle

Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400

A comparison of ocular blood flow in untreated primary open-angle glaucoma and ocular hypertension, 42

Five-year results of a randomized, prospective, clinical trial of diode vs argon laser trabeculoplasty for open-angle glaucoma, 185

Primary glaucoma triple procedure in patients with primary open-angle glaucoma (correspondence), 325

A third locus (GLC1D) for adult-onset primary open-angle glaucoma maps to the 8q23 region, 17

Granuloma

Epibulbar allergic granulomatous nodules in a human immunodeficiency virus positive patient, 844

Graves disease

Human leukocyte antigens associated with hyperthyroid

Graves ophthalmology in Japanese patients, 805

H

Health services

The role of Departments of Ophthalmology in the changing health care environment: resist or lead the change? (editorial), 713

Hemangioma

Proton beam irradiation of choroidal hemangiomas, 261

Hemorrhage

Management of submacular hemorrhage associated with retinal arterial macroaneurysms, 358

Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82

Herpes simplex

Herpes simplex encephalitis and bilateral acute retinal necrosis syndrome after craniotomy, 456

Infection of the corneal endothelium in herpes simplex keratitis, 592

Human immunodeficiency virus infection

Antiviral chemoprophylaxis after occupational exposure to human immunodeficiency virus (correspondence), 328

Epibulbar allergic granulomatous nodules in a human immunodeficiency virus positive patient, 844

Human immunodeficiency virus-associated vision loss: electroretinogram attenuation, 729

Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

HLA antigens

Association between MICA gene A4 allele and acute anterior uveitis in white patients with and without HLA-B27, 436

Human leukocyte antigens associated with hyperthyroid Graves ophthalmology in Japanese patients, 805

Hyaloid, posterior

Vitreopapillary traction as a cause of elevated optic nerve head, 137

Hyperparathyroidism

Choroidal neovascularization as a late complication of hyperparathyroidism, 320

Hypersensitivity

Epibulbar allergic granulomatous nodules in a human immunodeficiency virus-positive patient, 844

Hypertension, ocular

Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400

A comparison of ocular blood flow in untreated primary open-angle glaucoma and ocular hypertension, 42

Hyperthyroidism

Human leukocyte antigens associated with hyperthyroid Graves ophthalmology in Japanese patients, 805

I

Immunoglobulins

The effect of silicone ocular surgical devices on serum IgG binding to silicones, 798

Immunologic diseases

Recoverin-associated retinopathy: a clinically and immunologically distinctive disease, 230

Infant, newborn

Doppler ultrasound of blood flow velocities in ophthalmic and central retinal arteries during the early neonatal period, 691

Infection

Cytomegalovirus retinitis and viral resistance: 3. Culture results, 543

Herpes simplex encephalitis and bilateral acute retinal necrosis syndrome after craniotomy, 456

Infection of the corneal endothelium in herpes simplex keratitis, 592

Intraocular inflammation and the diffuse infiltrative lymphocytosis syndrome, 462

Poststreptococcal uveitis, 317

Recurrent nodular scleritis associated with varicella zoster virus, 594

Treatment of experimental *Staphylococcus epidermidis* endophthalmitis with oral trovafloxacin, 278

Interferometry

Partial coherence interferometry: a novel approach to biometry in cataract surgery, 524

Intracranial abnormalities

The ophthalmology of intracranial abnormalities (correspondence), 852

Intraocular pressure

Comparison of glaucomatous progression between untreated patients with normal-tension glaucoma and patients with therapeutically reduced intraocular pressures, 487

The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma, 498

Iris

Genotype/phenotype correlations in aniridia, 203

Neovascular complications associated with rubeosis iridis and peripheral retinal detachment after retinal detachment surgery, 379

J

Japanese patients

The classic form of granular corneal dystrophy associated with R555W mutation in the BIGH3 gene is rare in Japanese patients, 450

Human leukocyte antigens associated with hyperthyroid Graves ophthalmology in Japanese patients, 805

K

Keloids

Photorefractive keratectomy in African Americans including those with known dermatologic keloid formation, 625

Keratectomy, photorefractive

Photorefractive keratectomy for myopia in the setting of adenoviral subepithelial infiltrates, 829

Photorefractive keratectomy in African Americans including those with known dermatologic keloid formation, 625

Transepithelial photorefractive keratectomy for treatment of thin flaps or caps after complicated laser in situ keratomileusis, 827

Keratitis, herpetic

Infection of the corneal endothelium in herpes simplex keratitis, 592

Keratoconus

Intrastromal clefts in keratoconus patients with hydrops, 9

Keratomileusis

Transepithelial photorefractive keratectomy for treatment of thin flaps or caps after complicated laser in situ keratomileusis, 827

Keratotomy, radial

Lasso procedure to revise overcorrection with radial keratotomy, 825

Ketoconazole

Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy (correspondence), 742

L

Lacrimal apparatus

Gravity, blink rate, and lacrimal drainage capacity (correspondence), 152

Laser coagulation

Prophylactic laser treatment to fellow eyes of unilateral retinal pigment epithelial tears, 77

Laser Doppler flowmetry

Retinal blood flow measurements in branch retinal vein occlusion using scanning laser Doppler flowmetry, 683

Laser surgery

Ciliary body endophotocoagulation during pars plana vitrectomy for pediatric patients with vitreoretinal disorders and glaucoma, 723

A clinical comparison of transscleral cyclophotocoagulation with neodymium:YAG and semiconductor diode laser, 640

Delayed dislocation of foldable plate-haptic silicone lenses after Nd:YAG laser anterior capsulotomy, 586

A dummy orbit for training in diagnostic procedures and laser surgery with enucleated eyes, 464

Effect of topical anti-inflammatory treatment on the long-term outcome of laser trabeculoplasty, 721

Five-year results of a randomized, prospective, clinical trial of diode vs argon laser trabeculoplasty for open-angle glaucoma, 185

Laser-induced chorioretinal venous anastomosis for nonischemic central retinal vein occlusion: evaluation of the complications and their risk factors, 219

Neurotrophic corneal defects after diode laser cycloablation, 725

Treatment of retinoblastoma with the transscleral diode laser, 733

LASIK

Transepithelial photorefractive keratectomy for treatment of thin flaps or caps after complicated laser in situ keratomileusis, 827

Latanoprost

- Anterior uveitis associated with latanoprost, 37
- Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191
- Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602
- Latanoprost-associated cystoid macular edema, 134
- Latanoprost treatment for glaucoma: effects of treating for 1 year and of switching from timolol, 390
- Use of latanoprost in the treatment of glaucoma associated with Sturge-Weber syndrome, 600

Lens implantation, intraocular

- Delayed dislocation of foldable plate-haptic silicone lenses after Nd:YAG laser anterior capsulotomy, 586
- Intraoperative crystallization on the intraocular lens surface, 177
- Liquefied aftercataract: a complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule (correspondence), 612
- Refractive changes after pediatric intraocular lens implantation, 772
- Relationship of the actual thick intraocular lens optic to the thin lens equivalent, 339

Lymphocytosis

- Intraocular inflammation and the diffuse infiltrative lymphocytosis syndrome, 462

M

Macular degeneration

- Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration (correspondence), 153

Macular edema

- Quantitative assessment of macular edema with retinal vein occlusion, 409

Macular edema, cystoid

- Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602
- Latanoprost-associated cystoid macular edema, 134

Magnetic resonance imaging

- Trochlear nerve enhancement on three-dimensional magnetic resonance imaging in Fisher syndrome, 322

Mediastinoscopy

- Chest computed tomography and mediastinoscopy in the diagnosis of sarcoidosis-associated uveitis, 132

Melanin

- Quantification of aqueous melanin granules in primary pigment dispersion syndrome, 425

Melanoma

- The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and obser-

vations following enucleation COMS report No. 11, 362

Distribution of prognostically important vascular patterns across multiple levels in ciliary body and choroidal melanomas, 373

Microcirculation architecture of metastases from primary ciliary body and choroidal melanomas, 303

Three-dimensional ultrasonography of choroidal melanoma: extrascleral extension, 842

Miller Fisher syndrome

Trochlear nerve enhancement on three-dimensional magnetic resonance imaging in Fisher syndrome, 322

Minocycline

Minocycline treatment and pseudotumor cerebri syndrome, 116

Mitomycin C

Mitomycin C trabeculectomy in eyes with cicatricial conjunctiva, 823

Outcomes of primary phakic trabeculectomies without versus with 0.5- to 1-minute versus 3- to 5-minute mitomycin C, 755

Randomized trial of intraoperative mitomycin C in surgery for pterygium (correspondence), 151

Trabeculectomy with adjunctive mitomycin C in pediatric glaucoma, 648

Multiple endocrine neoplasia type 2b

Ocular manifestations in multiple endocrine neoplasia type 2b, 305

Myopia

Complete epiretinal membrane separation in highly myopic eyes with retinal detachment resulting from a macular hole, 669

Photorefractive keratectomy for myopia in the setting of adenoviral subepithelial infiltrates, 829

Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853

N

Nanophthalmos

Bilateral secondary angle-closure glaucoma as a complication of anticoagulation in a nanophthalmic patient, 307

Nasolacrimal duct

Balloon catheter dilation for treatment of adults with partial nasolacrimal duct obstruction: a preliminary report, 811

Neovascularization, pathologic

Chorioretinal damage caused by the excision of choroidal neovascularization, 348

Choroidal neovascularization as a late complication of hyperparathyroidism, 320

Clinicopathologic correlations of surgically excised type 1 and type 2 submacular choroidal neovascular membranes, 59

Indocyanine green angiographic features of idiopathic submacular choroidal neovascularization, 70

Neovascular complications associated with rubeosis iridis and

peripheral retinal detachment after retinal detachment surgery, 379

Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

Peripheral retinal neovascularization (Eales disease) associated with the factor V Leiden mutation, 146

Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration (correspondence), 153

Subfoveal choroidal neovascularization: is there a role for submacular surgery? (editorial), 127

Two cases of unilateral retinal neovascularization in Turner syndrome, 144

Nevus, epithelioid cell

Epithelioid cell Spitz nevus of the eyelid, 735

Nystagmus

Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607

O

Obituary

Barraquer, José Ignacio, 167

Ocular hypertension

Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400

A comparison of ocular blood flow in untreated primary open-angle glaucoma and ocular hypertension, 42

Oculomotor nerve

Isolated inferior rectus palsy caused by a metastasis to the oculomotor nucleus, 737

Pupil-sparing third nerve palsy associated with sildenafil citrate (Viagra), 476

Ophthalmoplegia

Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607

Optic disk

Indocyanine green angiography in enlarged blind spot syndrome, 604

Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

Patterns of optic disk damage in patients with early focal visual field loss, 763

POEMS syndrome: an unusual cause of bilateral optic disk swelling, 452

Vitreopapillary traction as a cause of elevated optic nerve head, 137

Optic nerve

Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607

Unilateral blindness after ipsilateral prophylactic transcranial optic canal decompression for fibrous dysplasia, 469

Optic neuropathy, hereditary

Relative afferent pupillary defects in patients with Leber hereditary optic neuropathy and unilateral visual loss, 291

Optic neuropathy, ischemic

The role of transcranial Doppler in nonarteritic ischemic optic neuropathy, 288

Orbit

A dummy orbit for training in diagnostic procedures and laser surgery with enucleated eyes, 464

Orbital floor implant migration across the ethmoidal sinuses and nasal septum, 848

P

Perimetry

Frequency doubling perimetry (correspondence), 155

Normal values for fundus perimetry with the scanning laser ophthalmoscope, 52

Test-retest variability of blue-on-yellow perimetry is greater than white-on-white perimetry in normal subjects, 29

Photoreceptors

Histopathologic and immunohistochemical study of dominant cone degeneration, 140

Pigment epithelium of eye

Acute posterior multifocal placoid pigment epitheliopathy with bilateral central retinal vein occlusion, 309

Giant pigment epithelial tear and exudative retinal detachment complicating choroidal effusions, 448

Prophylactic laser treatment to fellow eyes of unilateral retinal pigment epithelial tears, 77

Pigments

Pigment dispersion syndrome (editorial), 442

Quantification of aqueous melanin granules in primary pigment dispersion syndrome, 425

Pinguecula

Cataract associations with pinguecula and pterygium: the Blue Mountains Eye Study, 717

Plasminogen

Familial dysplasminogenemia with central retinal vein and cilioretinal artery occlusion, 312

POEMS syndrome

POEMS syndrome: an unusual cause of bilateral optic disk swelling, 452

Polymerase chain reaction

Triple viral retinitis diagnosed by polymerase chain reaction of the vitreous biopsy in a patient with Richter syndrome, 732

Posner-Schlossman syndrome

Glaucomatocyclitic crisis in a child, 136

Prostaglandin analogs

Anterior uveitis associated with latanoprost, 37

Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191

Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602

Latanoprost-associated cystoid macular edema, 134

- Latanoprost treatment for glaucoma: effects of treating for 1 year and of switching from timolol, 390
- Use of latanoprost in the treatment of glaucoma associated with Sturge-Weber syndrome, 600

Prostheses and implants

- Orbital floor implant migration across the ethmoidal sinuses and nasal septum, 848

Protons

- Proton beam irradiation of choroidal hemangiomas, 261

Pseudophakia

- Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602

Pseudotumor cerebri

- Minocycline treatment and pseudotumor cerebri syndrome, 116

Pterygium

- Cataract associations with pinguecula and pterygium: the Blue Mountains Eye Study, 717
- Randomized trial of intraoperative mitomycin C in surgery for pterygium (correspondence), 151

Pupillary functions, abnormal

- Relative afferent pupillary defects in patients with Leber hereditary optic neuropathy and unilateral visual loss, 291

Q

Quality of life

- Visual acuity and quality of life outcomes in patients with cataract in Shunyi County, China, 515

R

Radiotherapy

- The Collaborative Ocular Melanoma Study (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and observations following enucleation COMS report No. 11, 362
- Proton beam irradiation of choroidal hemangiomas, 261
- Radiation-associated cerebral blindness, 609
- Second nonocular tumors in survivors of heritable retinoblastoma and prior radiation therapy, 269

Recoverin

- Cancer-associated retinopathy vs recoverin-associated retinopathy (editorial), 296
- Recoverin-associated retinopathy: a clinically and immunologically distinctive disease, 230

Refraction, ocular

- Accuracy of the Nidek ARK-900 objective refractor in comparison with retinoscopy in children ages 3 to 18 years, 100
- Refractive changes after pediatric intraocular lens implantation, 772

Reis-Bücklers corneal dystrophy

- Two distinct kerato-epithelin mutations in Reis-Bücklers corneal dystrophy, 535

Retina

- Cancer-associated retinopathy vs recoverin-associated retinopathy (editorial), 296

- Chorioretinal damage caused by the excision of choroidal neovascularization, 348

- Effects of PAX6 mutations on retinal function: an electroretinographic study, 211

- Multifocal electroretinogram indicates visual field loss in acute zonal occult outer retinopathy, 466

- Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82

- Precipitation of hard exudate after resorption of intraretinal edema after treatment of retinal branch vein occlusion, 454

- Recoverin-associated retinopathy: a clinically and immunologically distinctive disease, 230

- Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy (correspondence), 742

- Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853

Retinal detachment

- Comparison of pneumatic retinopexy and scleral buckling in the management of primary rhegmatogenous retinal detachment, 658

- Complete epiretinal membrane separation in highly myopic eyes with retinal detachment resulting from a macular hole, 669

- Giant pigment epithelial tear and exudative retinal detachment complicating choroidal effusions, 448

- Neovascular complications associated with rubeosis iridis and peripheral retinal detachment after retinal detachment surgery, 379

Retinal necrosis syndrome, acute

- Herpes simplex encephalitis and bilateral acute retinal necrosis syndrome after craniotomy, 456

Retinal perforations

- Complete epiretinal membrane separation in highly myopic eyes with retinal detachment resulting from a macular hole, 669

Retinal vein occlusion

- Acute posterior multifocal placoid pigment epitheliopathy with bilateral central retinal vein occlusion, 309

- Branch retinal vein obstruction secondary to retinal arteriovenous communication, 446

- Familial dysplasminogenemia with central retinal vein and cilioretinal artery occlusion, 312

- Formation of retinochoroidal collaterals in central retinal vein occlusion, 91

- Laser-induced chorioretinal venous anastomosis for nonischemic central retinal vein occlusion: evaluation of the complications and their risk factors, 219

- Precipitation of hard exudate after resorption of intraretinal edema after treatment of retinal branch vein occlusion, 454

- Quantitative assessment of macular edema with retinal vein occlusion, 409

- Retinal blood flow measurements in branch retinal vein occlusion using scanning laser Doppler flowmetry, 683
- Thrombin-antithrombin III complex in acute retinal vein occlusion, 677
- Treatment of central retinal vein occlusion by injection of tissue plasminogen activator into a retinal vein, 142
- Retinal vessels**
 - Management of submacular hemorrhage associated with retinal arterial macroaneurysms, 358
- Retinitis**
 - Triple viral retinitis diagnosed by polymerase chain reaction of the vitreous biopsy in a patient with Richter syndrome, 732
- Retinoblastoma**
 - Second nonocular tumors in survivors of heritable retinoblastoma and prior radiation therapy, 269
 - Treatment of retinoblastoma with the transscleral diode laser, 733
- Retinopathy of prematurity**
 - Macular folds and poor vision associated with zone III retinopathy of prematurity, 460
- Retinopexy**
 - Comparison of pneumatic retinopexy and scleral buckling in the management of primary rhegmatogenous retinal detachment, 658
- Retinoscopy**
 - Accuracy of the Nidek ARK-900 objective refractor in comparison with retinoscopy in children ages 3 to 18 years, 100
- Retrovirus**
 - Discontinuing anticytomegalovirus therapy in patients with immune reconstitution after combination antiretroviral therapy, 817
- Richter syndrome**
 - Triple viral retinitis diagnosed by polymerase chain reaction of the vitreous biopsy in a patient with Richter syndrome, 732

S

- Sarcoidosis**
 - Chest computed tomography and mediastinoscopy in the diagnosis of sarcoidosis-associated uveitis, 132
- Sclera**
 - Congenital sclerocorneal epithelial cyst, 740
- Scleral buckling**
 - Comparison of pneumatic retinopexy and scleral buckling in the management of primary rhegmatogenous retinal detachment, 658
- Scleritis**
 - Indocyanine green angiographic features in posterior scleritis, 471
 - Recurrent nodular scleritis associated with varicella zoster virus, 594
- Sildenafil citrate**
 - Pupil-sparing third nerve palsy associated with sildenafil citrate (Viagra), 476
- Silicone**
 - The effect of silicone ocular surgical devices on serum IgG binding to silicones, 798

Simultanagnosia

- Ishihara color plates as a test for simultanagnosia, 850

Sleep

- Disturbance of sleep in blindness, 707

Staphylococcus epidermidis

- Treatment of experimental *Staphylococcus epidermidis* endophthalmitis with oral trovafloxacin, 278

Strabismus

- Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853

Streptococcal infections

- Poststreptococcal uveitis, 317

Sturge-Weber syndrome

- Use of latanoprost in the treatment of glaucoma associated with Sturge-Weber syndrome, 600

T

Tendons

- Autogenous palmaris longus tendon as frontalis suspension material for ptosis correction in children, 109

Thrombin

- Thrombin-antithrombin III complex in acute retinal vein occlusion, 677

Timolol

- Latanoprost treatment for glaucoma: effects of treating for 1 year and of switching from timolol, 390

Tissue plasminogen activator

- Treatment of central retinal vein occlusion by injection of tissue plasminogen activator into a retinal vein, 142

Tomography scanners, X-ray computed

- Chest computed tomography and mediastinoscopy in the diagnosis of sarcoidosis-associated uveitis, 132

Toxoplasmosis, ocular

- Differences between intraocular and serum antibody responses in patients with ocular toxoplasmosis, 698

Trabeculectomy

- Mitomycin C trabeculectomy in eyes with cicatricial conjunctiva, 823
- Outcomes of primary phakic trabeculectomies without versus with 0.5- to 1-minute versus 3- to 5-minute mitomycin C, 755
- Trabeculectomy with adjunctive mitomycin C in pediatric glaucoma, 648

Trabeculoplasty

- Effect of topical anti-inflammatory treatment on the long-term outcome of laser trabeculoplasty, 721

Traction

- Vitreopapillary traction as a cause of elevated optic nerve head, 137

Trauma

- Choroidopathy after blunt trauma to the eye: a fluorescein and indocyanine green angiographic study, 248
- Ultrasound biomicroscopic detection of anterior segment foreign body after trauma, 197

Trichoadenoma

- Trichoadenoma of the eyelid, 846

Trochlear nerve

Trochlear nerve enhancement on three-dimensional magnetic resonance imaging in Fisher syndrome, 322

Trovafoxacin

Treatment of experimental *Staphylococcus epidermidis* endophthalmitis with oral trovafoxacin, 278

Turner syndrome

Two cases of unilateral retinal neovascularization in Turner syndrome, 144

U

Ultrasonics

Use of microbubble ultrasound contrast agent to demonstrate the iris valve effect in human eye bank eyes, 719

Ultrasonography

Three-dimensional ultrasonography of choroidal melanoma: extrascleral extension, 842

Ultrasound biomicroscopic analysis of anterior proliferative vitreoretinopathy, 838

Ultrasound biomicroscopic detection of anterior ocular segment foreign body after trauma, 197

Ultrasonography, Doppler

Doppler ultrasound of blood flow velocities in ophthalmic and central retinal arteries during the early neonatal period, 691

High-frequency Doppler ultrasound examination of blood flow in the anterior segment of the eye, 597

Ultrasonography, Doppler, transcranial

The role of transcranial Doppler in nonarteritic ischemic optic neuropathy, 288

Uveitis

Chest computed tomography and mediastinoscopy in the diagnosis of sarcoidosis-associated uveitis, 132

Poststreptococcal uveitis, 317

Uveitis, anterior

Anterior uveitis associated with latanoprost, 37

Association between MICA gene A4 allele and acute anterior uveitis in white patients with and without HLA-B27, 436

Uveitis, posterior

Whipple disease presenting as posterior uveitis without prominent gastrointestinal symptoms, 130

V

Varicella-zoster virus

Recurrent nodular scleritis associated with varicella-zoster virus, 594

Vision, subnormal

Human immunodeficiency virus-associated vision loss: electroretinogram attenuation, 729

Macular folds and poor vision associated with zone III retinopathy of prematurity, 460

Relative afferent pupillary defects in patients with Leber hereditary optic neuropathy and unilateral visual loss, 291

Visual acuity

Visual acuity and quality of life outcomes in patients with cataract in Shunyi County, China, 515

Visual fields

Multifocal electroretinogram indicates visual field loss in acute zonal occult outer retinopathy, 466

Patterns of optic disk damage in patients with early focal visual field loss, 763

Vitreectomy

Ciliary body endophotocoagulation during pars plana vitrectomy for pediatric patients with vitreoretinal disorders and glaucoma, 723

Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82

Vitreopapillary traction

Vitreopapillary traction as a cause of elevated optic nerve head, 137

Vitreoretinopathy, proliferative

Adjunctive daunorubicin in the treatment of proliferative vitreoretinopathy: results of a multicenter clinical trial, 550

Ultrasound biomicroscopic analysis of anterior proliferative vitreoretinopathy, 838

Vitreous body

Triple viral retinitis diagnosed by polymerase chain reaction of the vitreous biopsy in a patient with Richter syndrome, 732

Vitreitis and Waldenström's macroglobulinemia, 314

Vitreous hemorrhage

Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82

W

Waldenström's macroglobulinemia

Ptosis in Waldenström's macroglobulinemia, 315

Vitreitis and Waldenström's macroglobulinemia, 314

Whipple disease

Whipple disease presenting as posterior uveitis without prominent gastrointestinal symptoms, 130

AUTHOR INDEX

A

- AABERG, T. M., Sr: See SEARS, J. E., 723
- ABRAMSON, D. H., SERVODIDIO, C. A., and NISSEN, M.: Treatment of retinoblastoma with the transscleral diode laser, 733
- ACOTT, T. S.: See EDWARDS, A. O., 417
- ADACHI, W.: See DOTA, A., 832
- ADAMIAN, M.: See TO, K., 140
- ALLEE, S. D., and MARKS, S. J.: Acute posterior multifocal placoid pigment epitheliopathy with bilateral central retinal vein occlusion, 309
- ALLINGHAM, R. R.: See YANG, C. B., 600
- ALLINGHAM, R. R.: See YOUNG, J., 640
- ALOZIE, I.: See TRIFAN, O. C., 17
- ANDERSON, W. F.: See SEITZ, B., 630
- ANTON, A.: See EMDADI, A., 763
- ARAI, M., NAO-I, N., SAWADA, A., and HAYASHIDA, T.: Multifocal electroretinogram indicates visual field loss in acute zonal occult outer retinopathy, 466
- ARAKAWA, A., and TAMAI, M.: Ultrasound biomicroscopic analysis of anterior proliferative vitreoretinopathy, 838
- ARENDT, J.: See TABANDEH, H., 707
- ASANO, N.: See HOLBACH, L. M., 592
- AUER, C., and HERBORT, C. P.: Indocyanine green angiographic features in posterior scleritis, 471
- AVILA, C. P., JR, BARTSCH, D.-U., BITNER, D. G., CHENG, L., MUELLER, A. J., KARAVELLAS, M. P., and FREEMAN, W. R.: Retinal blood flow measurements in branch retinal vein occlusion using scanning laser Doppler flowmetry, 683
- AWAD, A.: See MAHMOOD, M. A., 740
- AXER-SIEGEL, R.: See WEINBERGER, D., 238
- AYYALA, R. S., CRUZ, D. A., MARGO, C. E., HARMAN, L. E., PAULTER, S. E., MISCH, D. M., MINES, J. A., and RICHARDS, D. W.: Cystoid macular edema associated with latanoprost in aphakic and pseudophakic eyes, 602

B

- BABER, W. B.: See ROSS, R. D., 155
- BACKHOUSE, O. C.: The ophthalmology of intracranial abnormalities (correspondence), 852
- BAKER, A. S.: See NG, E. W. M., 278
- BAKTANIAN, E.: See SEITZ, B., 630
- BARASH, D., GOLDENBERG-COHEN, N., TZADOK, D., LIFSHITZ, T., YASSUR, Y., WEINBERGER, D.: Ultrasound biomicroscopic detection of anterior ocular segment foreign body after trauma, 197
- BARASH, J.: See LEIBA, H., 317
- BARILE, G. R., CHANG, S., HOROWITZ, J. D., REPPUCCI, V. S., SCHIFF, W. M., and WONG, D. T.: Neovas-

cular complications associated with rubeosis iridis and peripheral retinal detachment after retinal detachment surgery, 379

- BARKIN, A.: See KNOX, C. M., 314
- BARNARD, T. A., and WEIDENTHAL, D. T.: Intraocular mass simulating a retained foreign body, 149
- BAROFSKY, J. M.: See ROSS, R. D., 155
- BARRAQUER, J.: José Ignacio Barraquer (obituary), 167
- BARTSCH, D.-U.: See AVILA, C. P., JR, 683
- BAUER, P.: See WIEDEMANN, P., 550
- BAUM, J.: Efficacy and safety of the Protek (Vifilcon A) therapeutic soft contact lens (correspondence), 328
- BECK, A. D., WILSON, W. R., LYNCH, M. G., LYNN, M. J., and NOE, R.: Trabeculectomy with adjunctive mitomycin C in pediatric glaucoma, 648
- BECKER, M.: See ROHRSCHEIDER, K., 52
- BENNER, J. D.: See SHAIKH, S., 798
- BENTLER, S. E.: See RUMMELT, V., 303
- BERCHER, L.: See ZOGRAFOS, L., 261
- BERKE, S. J.: See CARONIA, R. M., 307
- BERSELLI, C. B.: See EDWARDS, A. O., 417
- BERSON, E. L.: See TO, K., 140
- BILLIG, M. D.: Borish's Clinical Refraction, by Benjamin, W. J. (book review), 856
- BIOUSSE, V., and NEWMAN, N.J.: Reply to BACKHOUSE, O. C.: The ophthalmology of intracranial abnormalities (correspondence), 852
- BIOUSSE, V., TOUBOUL, P.-J., D'ANGLEJAN-CHATILLON, J., LÉVY, C., SCHAISON, M., and BOUSSER, M.-G.: Ophthalmologic manifestations of internal carotid artery dissection, 565
- BIRD, A. C.: See GROSS-JENDROSKA, M., 77
- BIRD, A. C.: See TABANDEH, H., 707
- BISSON-MIJAJIMA, H.: See TSUBOTA, K., 1
- BITNER, D. G.: See AVILA, C. P., JR, 683
- BLUMEN, S.: See PORGES, Y., 607
- BLUMENKRANZ, M. S.: See HUMAYUN, M., 358
- BOLTON, S. G.: See JABS, D. A., 817
- BONTEMPO, F. A.: See ELLER, A. W., 146
- BOUSSER, M.-G.: See BIOUSSE, V., 565
- BRANCATO, R.: See PECE, A., 604
- BRAZIS, P. W., GRAFF-RADFORD, N. R., NEWMAN, N. J., and LEE, A. G.: Ishihara color plates as a test for simultanagnosia, 850
- BRINZOLAMIDE PRIMARY THERAPY STUDY GROUP: See SILVER, L. H., 400
- BROWN, M. F.: See STEINEMANN, T. L., 588
- BROWNSTEIN, S.: See KLAPPER, S. R., 315
- BRUBAKER, R. F.: See VANLANDINGHAM, B. D., 191
- BUCKLEY, E. G.: See ENYEDI, L. B., 772

- BUCKLEY, E. G.: See YANG, C. B., 600
 BULLOCK, J.: See FECHTNER, R. D., 37
 BURNETT, H.: See SHAIKH, S., 798
 BURNS, P. N.: See PAVLIN, C. J., 597, 719
 BURNSTEIN, Y., SHELTON, K., and HIGGINBOTHAM, E. J.: Glaucomatocyclitic crisis in a child, 136
 BUTTERY, R.: See TABANDEH, H., 707

C

- CALDWELL, K. D.: See OLSON, R. J., 177
 CALLANAN, D., FELLMAN, R. L., and SAVAGE, J. A.: Latanoprost-associated cystoid macular edema, 134
 CAMPBELL, J.: See RUMMELT, V., 303
 CAMRAS, C. B., WAX, M. B., RITCH, R., WEINREB, R., ROBIN, A. L., HIGGINBOTHAM, E. J., LUSTGARTEN, J., STEWART, W. C., SHERWOOD, M., KRUPIN, T., WILENSKY, J., CIOFFI, G. A., KATZ, L. J., SCHUMER, R. A., KAUFMAN, P. L., MINCKLER, D., ZIMMERMAN, T., STJERNESCHANTZ, J., and the UNITED STATES LATANOPROST STUDY GROUP: Latanoprost treatment for glaucoma: effects of treating for 1 year and of switching from timolol, 390
 CAPONE, A., JR: See SEARS, J. E., 723
 CAPRIOLI, J.: See KWON, Y. H., 29
 CAPRIOLI, J.: The treatment of normal-tension glaucoma (editorial), 578
 CARDEN, S. A., and GOOD, W. V.: Macular folds and poor vision associated with zone III retinopathy of prematurity, 460
 CARONIA, R. M., STURM, R. T., FASTENBERG, D. M., BERKE, S. J., and WEINTRAUB, J.: Bilateral secondary angle-closure glaucoma as a complication of anticoagulation in a nanophthalmic patient, 307
 CARR, J. D.: See GODFREY, D. G., 844
 CASPAR, J.: See SHAIKH, S., 798
 CASTAGNA, G.: See MARCHINI, G., 727
 CASTELBUONO, A., and MILLER, N. R.: Spontaneous remission in patients with essential blepharospasm and Meige syndrome, 432
 CHAMOT, L.: See ZOGRAFOS, L., 261
 CHAN, C.-C.: See LEVINSON, R. D., 732
 CHANG, S.: See BARILE, G. R., 379
 CHEN, E.: See SAHLIN, S., 152
 CHENG, G. P. M.: See LAM, D. S. C., 109
 CHENG, L.: See AVILA, C. P., JR, 683
 CHIANG, M. F.: Color Guide: Ophthalmology, by Kanski, J. J. (book review), 478
 CHIU, A. M., CHUENKONGKAEW, W. L., CORNBATH, W. T., TROBE, J. D., DIGRE, K. B., DOTAN, S. A., MUSSON, K. H., and EGGENBERGER, E. R.: Minocycline treatment and pseudotumor cerebri syndrome, 116
 CHIU, M. T.: See LEVINSON, R. D., 732
 CHODOSH, J.: See FITE, S. W., 829
 CHOU, T. M., and DEMER, J. L.: Isolated inferior rectus palsy caused by a metastasis to the oculomotor nucleus, 737
 CHRISTOFFERSEN, N., SANDER, B., and LARSEN, M.: Precipitation of hard exudate after resorption of intraretinal edema after treatment of retinal branch vein occlusion, 454
 CHRISTOPHER, D. A.: See PAVLIN, C. J., 597
 CHUENKONGKAEW, W. L.: See CHIU, A. M., 116
 CHUNG, P. Y., SCHUMAN, J. S., NETLAND, P. A., LLOYD-MUHAMMAD, R. A., and JACOBS, D. S.: Five-year results of a randomized, prospective, clinical trial of diode vs argon laser trabeculoplasty for open-angle glaucoma, 185
 CIOFFI, G. A.: See CAMRAS, C. B., 390
 CIULLA, T. A., HARRIS, A., and DANIS, R. P.: Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration (correspondence), 153
 CLARK, B.: See GUEMES, A., 833
 CLARKSON, J. G.: The role of Departments of Ophthalmology in the changing health care environment: resist or lead the change? (editorial), 713
 CMV RETINITIS AND VIRAL RESISTANCE STUDY GROUP: See JABS, D. A., 543
 COCKER, R. S.: See ROMERO, J. M., 842
 COHEN, G.: See ROSS, R. D., 155
 COHEN, S. Y., GUYOT-SIONNEST, M., and PUECH, M.: Choroidal neovascularization as a late complication of hyperparathyroidism, 320
 COLLABORATIVE NORMAL-TENSION GLAUCOMA STUDY GROUP: Comparison of glaucomatous progression between untreated patients with normal-tension glaucoma and patients with therapeutically reduced intraocular pressures, 487
 COLLABORATIVE NORMAL-TENSION GLAUCOMA STUDY GROUP: The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma, 498
 COLLABORATIVE OCULAR MELANOMA STUDY GROUP: The Collaborative Ocular Melanoma Study Group (COMS) randomized trial of pre-enucleation radiation of large choroidal melanoma III: local complications and observations following enucleation. COMS report No. 11, 362
 CONSTABLE, I. J.: See McALLISTER, I. L., 219
 COOK, B. E., JR: See Nishimura, J. K., 130
 CORNBATH, W. T.: See CHIU, A. M., 116
 COUSINS, F. V.: See NG, E. W. M., 278
 COX, T. A.: See YOUN, J., 640
 CRANDALL, A. S.: See OLSON, R. J., 177
 CROSWELL, M.: Ophthalmic Photography: A Textbook of Retinal Photography, Angiography, and Electronic Imaging, by Saine, P. J., and Tyler, M. E. (eds.) (book review), 746
 CRUZ, D. A.: See AYYALA, R. S., 602

CUMMING, R. G.: See LIM, R., 717

D

DAGIRMANJIAN, A.: See KOSMORSKY, G., 288

D'AMICO, D. J.: See NG, E. W. M., 278

DUNAIEF, J. L.: Atlas of Primary Eyecare Procedures, by Casser, L., Fingerer, M., and Woodcome, H. T. (book review), 614

D'ANGLEJAN-CHATILLON, J.: See BIOUSSE, V., 565

DANIS, R. P.: See CIULLA, T. A., 153

DAS, G. K.: See PANDA, A., 151

DAUNOMYCIN STUDY GROUP: See WIEDEMANN, P., 550

DAVIDSON, F.: See HENDERSON, H. W. A., 462

DAVIS, D. A.: See KOSMORSKY, G., 288

DE BECKER, I.: See GUPTA, S. K., 203

DE BECKER, I.: See TREMBLAY, F., 211

DE CAROLIS, M. P.: See PAPACCI, P., 691

DEFrance, R.: See TABANDEH, H., 707

DEMER, J. L.: See CHOU, T. M., 737

DENTON, D. C.: See STEINEMANN, T. L., 588

DIGRE, K. B.: See CHIU, A. M., 116

DONAHUE, S. P., and TAYLOR, R. J.: Pupil-sparing third nerve palsy associated with sildenafil citrate (Viagra), 476

DONAHUE, S. P.: Human immunodeficiency virus-associated vision loss: electroretinogram attenuation, 729

DOTA, A., NISHIDA, K., HONMA, Y., ADACHI, W., KAWASAKI, S., QUANTOCK, A. J., and KINOSHITA, S.: Gelatinous drop-like corneal dystrophy is not one of the β ig-h3-mutated corneal amyloidoses, 832

DOTAN, S. A.: See CHIU, A. M., 116

DOUGLAS, J. P.: See McALLISTER, I. L., 219

DOYLE, W.: Ocular Infection, Investigation, and Treatment, by Seal, D. V., Bron, A. J., and Hay, J. (book review), 746

DREXLER, W., FINDL, O., MENAPACE, R., RAINER, G., VASS, C., HITZENBERGER, C. K., and FERCHER, A. F.: Partial coherence interferometry: a novel approach to biometry in cataract surgery, 524

DUNN, J. P.: See JABS, D. A., 543, 817

E

EAGLE, R. C., JR: See SHIELDS, J. A., 846

EDELSTEIN, C., GOLDBERG, R. A., and RUBINO, G.: Unilateral blindness after ipsilateral prophylactic transcranial optic canal decompression for fibrous dysplasia, 469

EDWARDS, A. O., KLEIN, M. L., BERSELLI, C. B., HEJTMANCIK, J. F., RUST, K., WIRTZ, M. K., WEBER, R. G., and ACOTT, T. S.: Malattia leventinese: refinement of the genetic locus and phenotypic variability in autosomal dominant macular drusen, 417

EGGENBERGER, E.: See CHIU, A. M., 116

EGGER, E.: See ZOGRAFOS, L., 261

ELLER, A. W., BONTEMPO, F. A., FARUKI, H., and HASSETT, A. C.: Peripheral retinal neovascularization (Eales disease) associated with the factor V Leiden mutation, 146

ELLWEIN, L. B.: See ZHAO, J., 506, 515

ELMAN, M.: Sports Ophthalmology, by Zigelbaum, B. M. (book review), 330

EL-SHABRAWI, Y.: See LIVIR-RALLATOS, C., 594

EMDADI, A., ZANGWILL, L., SAMPLE, P. A., KONO, Y., ANTON, A., and WEINREB, R. N.: Patterns of optic disk damage in patients with early focal visual field loss, 763

ENGER, C.: See JABS, D. A., 543

ENYEDI, L. B., PETERSEIM, M. W., FREEDMAN, S. F., and BUCKLEY, E. G.: Refractive lens changes after pediatric intraocular lens implantation, 772

F

FARUKI, H.: See ELLER, A. W., 146

FASTENBERG, D. M.: See CARONIA, R. M., 307

FAVUZZI, A.: See PAPACCI, P., 691

FECHTNER, R. D., KHOURI, A. S., ZIMMERMAN, T. J., BULLOCK, J., FELDMAN, R., KULKARNI, P., MICHAEL, A. J., REALINI, T., and WARWAR, R.: Anterior uveitis associated with latanoprost, 37

FEDER, R. S., WILHELMUS, K. R., VOLD, S. D., and O'GRADY, R. B.: Intrastromal clefts in keratoconus patients with hydrops, 9

FELDMAN, R.: See FECHTNER, R. D., 37

FELLMAN, R. L.: See CALLANAN, D., 134

FENDRICH, T.: See ROHRSCHEIDER, K., 52

FERCHER, A. F.: See DREXLER, W., 524

FERON, E. J.: See KLAREN, V. N. A., 698

FINDL, O.: See DREXLER, W., 524

FINGER, P. T.: See ROMERO, J. M., 842

FINK, A., LAPIDOT, M., and SPIERER, A.: Ocular manifestations in multiple endocrine neoplasia type 2b, 305

FIREMAN, Z.: See PORGES, Y., 607

FITE, S. W., and CHODOSH, J.: Photorefractive keratectomy for myopia in the setting of adenoviral subepithelial infiltrates, 829

FLAXEL, C. J.: See GROSS-JENDROSKA, M., 77

FLETCHER, W. A.: See JACOBSON, D. M., 291

FLUOROMETHOLONE-LASER TRABECULOPLASTY STUDY GROUP: See KIM, Y. Y., 721

FLYNN, H. W., JR: See HUMAYUN, M., 358

FOLBERG, R.: See MEHAFFEY, M. G., 373

FOLBERG, R.: See RUMMELT, V., 303

FORMAN, M.: See JABS, D. A., 543

FOSTER, C. S.: See LIVIR-RALLATOS, C., 594

FOSTER, F. S.: See PAVLIN, C. J., 597, 719

FREEDMAN, S. F.: See ENYEDI, L. B., 772

- FREEDMAN, S. F.: See YANG, C. B., 600
 FREEMAN, W. R.: See AVILA, C. P., JR, 683
 FRENKEL, R. E. P.: See KIM, Y. Y., 721
 FRUEH, B. E.: Corneal thickness and curvature in normal-tension glaucoma (correspondence), 326
 FUJIKADO, T., OHJI, M., HAYASHI, A., KUSAKA, S., and TANO, Y.: Anatomic and functional recovery of the fovea after foveal translocation surgery without large retinotomy and simultaneous excision of a neovascular membrane, 839

G

- GARDNER, L. N.: See MEHAFFEY, M. G., 373
 GASS, J. D. M.: See GROSSNIKLAUS, H. E., 59
 GATON, D. D.: See WEINBERGER, D., 238
 GERDING, H.: See UHLIG, C. E., 464
 GERY, I.: See WHITCUP, S. M., 230
 GIANNINI, R.: See PAPACCI, P., 691
 GINDE, S. A.: See KIM, Y. Y., 755
 GIRKIN, C. A.: See PERRY, J. D., 456
 GITTER, K. A.: See ROSS, R. D., 155
 GLOVER, B. K.: See KIM, Y. Y., 721
 GODFREY, D. G., CARR, J. D., and GROSSNIKLAUS, H. E.: Epibulbar allergic granulomatous nodules in a human immunodeficiency virus positive patient, 844
 GOHDO, T.: See IJIMA, H., 312, 677
 GOLDBERG, R. A.: See EDELSTEIN, C., 469
 GOLDBLUM, R. M.: See SHAIKH, S., 798
 GOLDENBERG-COHEN, N.: See BARASH, D., 197
 GONZALEZ, C.: See LEE, M. S., 853
 GOOD, W. V.: See CARDEN, S. A., 460
 GORDON, E. M.: See SEITZ, B., 630
 GORDON, Y. J.: See KOWALSKI, R. P., 835
 GOTO, K., OTA, M., MAKSYMOWYCH, W. P., MIZUKI, N., YABUKI, K., KATSUYAMA, Y., KIMURA, M., INOKO, H., and OHNO, S.: Association between MICA gene A4 allele and acute anterior uveitis in white patients with and without HLA-B27, 436
 GOTOH, M., YAMAMOTO, M., KAWASAKI, T., SHIGETO, M., and INOMATA, H.: Two cases of unilateral retinal neovascularization in Turner syndrome, 144
 GRAFF-RADFORD, N. R.: See BRAZIS, P. W., 850
 GRAY, B.: See SEITZ, B., 630
 GRENE, R. B.: See MIYASHIRO, M. J., 1025
 GROSS-JENDROSKA, M., OWENS, S. L., FLAXEL, C. J., GUYMER, R. H., and BIRD, A. C.: Prophylactic laser treatment to fellow eyes of unilateral retinal pigment epithelial tears, 77
 GROSSNIKLAUS, H. E., and GASS J. D. M.: Clinicopathologic correlations of surgically excised type 1 and type 2 submacular choroidal neovascular membranes, 59
 GROSSNIKLAUS, H. E.: See GODFREY, D. G., 844
 GUEMES, A., KOSMORSKY, G. S., MOODIE, D. S.,

- CLARK, B., MEISLER, D., and TRABOULSI, E. I.: Corneal opacities in Gaucher disease, 833

- GUERNSEY, D. L.: See GUPTA, S. K., 203
 GUERNSEY, D. L.: See TREMBLAY, F., 211
 GUPTA, S. K., DE BECKER, I., TREMBLAY, F., GUERNSEY, D. L., and NEUMANN, P. E.: Genotype/phenotype correlations in aniridia, 203
 GUPTA, S. K.: See TREMBLAY, F., 211
 GUSE, C. E.: See HAN, D. P., 658
 GUYMER, R. H.: See GROSS-JENDROSKA, M., 77
 GUYOT-SIONNEST, M.: See COHEN, S. Y., 320

H

- HAGIMURA, N.: See IIDA, T., 70
 HAN, D. P., MOHSIN, N. C., GUSE, C. E., HARTZ, A., TARKANIAN, C. N., and the SOUTHEASTERN WISCONSIN PNEUMATIC RETINOPEXY STUDY GROUP: Comparison of pneumatic retinopexy and scleral buckling in the management of primary rhegmatogenous retinal detachment, 658
 HARA, T., INAMI, M., and HARA, T.: Efficacy and safety of fluorescein angiography with orally administered sodium fluorescein, 560
 HARA, T.: See HARA, T., 560
 HARMAN, L. E.: See AYYALA, R. S., 602
 HARRIS, A.: See CIULLA, T. A., 153
 HARTZ, A.: See HAN, D. P., 658
 HASSETT, A. C.: See ELLER, A. W., 146
 HAYASHI, A.: See FUJIKADO, T., 839
 HAYASHI, K.: See KOHNO, T., 248
 HAYASHIDA, T.: See ARAI, M., 466
 HAYREH, S. S.: Reply to LEE, A. G.: Ocular manifestations of giant cell arteritis (correspondence), 743
 HEFETZ, L.: See MORAD, Y., 326
 HEIMANN, K.: See WIEDEMANN, P., 550
 HEJTMANCIK, J. F.: See EDWARDS, A. O., 417
 HENDERSON, H. W. A., DAVIDSON, F., and MITCHELL, S. M.: Intraocular inflammation and the diffuse infiltrative lymphocytosis syndrome, 462
 HENDRICKS, J.: See SPONSEL, W. E., 156
 HENSON, J. W.: See POMERANZ, H. D., 609
 HERBORT, C. P.: See AUER, C., 471
 HERNDON, L. W.: See YANG, C. B., 600
 HERNDON, L. W.: See YOUN, J., 640
 HIGGINBOTHAM, E. J.: See BURNSTEIN, Y., 136
 HIGGINBOTHAM, E. J.: See CAMRAS, C. B., 390
 HILGERS, R. D.: See WIEDEMANN, P., 550
 HIRATA, K.: See TANAKA, H., 322
 HISCOTT, P., SEITZ, B., and NAUMANN, G. O. H.: Epithelioid cell Spitz nevus of the eyelid, 735
 HITZENBERGER, C. K.: See DREXLER, W., 524
 HODGE, D. O.: See MOHNEY, B. G., 269
 HOLBACH, L. M., ASANO, N., and NAUMANN, G. O. H.:

Infection of the corneal endothelium in herpes simplex keratitis, 592

HOLLADAY, J. T., and MAVERICK, K. J.: Relationship of the actual thick intraocular lens optic to the thin lens equivalent, 339

HONDA, Y.: See HONJO, M., 823

HONJO, M., TANIHARA, H., INATANI, M., and HONDA, Y.: Mitomycin C trabeculectomy in eyes with cicatricial conjunctiva, 823

HONMA, Y.: See DOTA, A., 832

HOOKS, J. J.: See LEVINSON, R. D., 732

HOOPER, D. C.: See NG, E. W. M., 278

HOROWITZ, J. D.: See BARILE, G. R., 379

HOWES, E. L.: See KNOX, C. M., 314

HUANG, S.-H.: See OLSON, R. J., 177

HUBBARD, L.: See JABS, D. A., 543

HUMAYUN, M., LEWIS, H., FLYNN, H. W., JR, STERNBERG, P., JR, and BLUMENKRANZ, M. S.: Management of submacular hemorrhage associated with retinal arterial macroaneurysms, 358

I

IEZZI, R.: See ROMERO, J. M., 842

IIDA, T., HAGIMURA, N., KISHI, S., SHIMIZU, K.: Indocyanine green angiographic features of idiopathic submacular choroidal neovascularization, 70

IJJIMA, H., GOHDO, T., and TSUKAHARA, S.: Familial dysplasminogenemia with central retinal vein and cilioretinal artery occlusion, 312

IJJIMA, H., GOHDO, T., IMAI, M., and TSUKAHARA, S.: Thrombin-antithrombin III complex in acute retinal vein occlusion, 677

IKUNO, Y.: See OSHIMA, Y., 669

IMAI, M.: See IJJIMA, H., 677

INAMI, M.: See HARA, T., 560

INATANI, M.: See HONJO, M., 823

INOKO, H.: See GOTO, K., 436

INOMATA, H.: See GOTOH, M., 144

INOUE, Y.: See OKADA, M., 169, 535

ISFAHANI, A.: See TANZER, D. J., 625

J

JABBUR, N.: Surgery for Hyperopia and Presbyopia, by Sher, N. A. (ed.) (book review), 157

JABS, D. A., BOLTON, S. G., DUNN, J. P., and PALESTINE, A. G.: Discontinuing anticytomegalovirus therapy in patients with immune reconstitution after combination antiretroviral therapy, 817

JABS, D. A., ENGER, C., DUNN, J. P., FORMAN, M., HUBBARD, L., for the CMV RETINITIS AND VIRAL RESISTANCE STUDY GROUP: Cytomegalovirus retinitis and viral resistance: 3. culture results, 543

JACOBS, D. S.: See CHUNG, P. Y., 185

JACOBSON, D. M., STONE, E. M., MILLER, N. R., POLLOCK, S. C., FLETCHER, W. A., McNUSSEN, P. J., and MARTIN, T. J.: Relative afferent pupillary defects

in patients with Leber hereditary optic neuropathy and unilateral visual loss, 291

JAKOBIEC, F.: See TO, K., 140

JANUARY, B.: See SEARS, J. E., 723

JAP, A.: See KWON, Y. H., 29

JENSEN, M. K.: See OLSON, R. J., 177

JIA, L.: See ZHAO, J., 506, 515

JOHNSON, R. N., McDONALD, H. R., and SCHATZ, H.: Rash, fever, and chills after intravenous fluorescein angiography, 837

JOHNSON, S. M.: Neurotrophic corneal defects after diode laser cycloablation, 725

JORDAN, D. R.: See KLAPPER, S. R., 315

K

KAIDO, M.: See TSUBOTA, K., 1

KAISER, P. K.: See SANISLO, S. R., 318

KAPADIA, M. S., and WILSON, S. E.: Transepithelial photorefractive keratectomy for treatment of thin flaps or caps after complicated laser in situ keratomileusis, 827

KARAS, Y.: See MIYASHIRO, M. J., 825

KARAVELLAS, M. P.: See AVILA, C. P., JR, 683

KÄSMANN-KELLNER, B., and RUPRECHT, K. W.: Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853

KATSUYAMA, Y.: See GOTO, K., 436

KATZ, L. J.: See CAMRAS, C. B., 390

KAUFMAN, P. L.: See CAMRAS, C. B., 390

KAWASAKI, S.: See DOTA, A., 832

KAWASAKI, T.: See GOTOH, M., 144

KEARNEY, J.: See KNOX, C. M., 314

KELLAWAY, J.: See LEVINSON, R. D., 732

KELTNER, J. L., and THIRKILL, C. E.: Cancer-associated retinopathy vs recoverin-associated retinopathy (editorial), 296

KERR, D. A.: See PERRY, J. D., 456

KERR, J., NELSON, P., and O'BRIEN, C.: A comparison of ocular blood flow in untreated primary open-angle glaucoma and ocular hypertension, 42

KHOURI, A. S.: See FECHTNER, R. D., 37

KIJLSTRA, A.: See KLAREN, V. N. A., 698

KIM, C.: See KIM, Y. Y., 755

KIM, Y. Y., GLOVER, B. K., SHIN, D. H., LEE, D., FRENKEL, R. E. P., ABREU, M., and the FLUOROMETHOLONE-LASER TRABECULOPLASTY STUDY GROUP: Effect of topical anti-inflammatory treatment on the long-term outcome of laser trabeculoplasty, 721

KIM, Y. Y., SEXTON, R. M., SHIN, D. H., KIM, C., GINDE, S. A., REN, J., LEE, D., and KUPIN, T. H.: Outcomes of primary phakic trabeculectomies without versus 0.5- to 1-minute versus 3- to 5-minute mitomycin C, 755

KIMURA, M.: See GOTO, K., 436

KINOSHITA, S.: See DOTA, A., 832

- KINOSHITA, S.: See OKADA, M., 169, 535
- KIRSCHNER, R. A.: See MASSARO-GIORDANO, M., 848
- KIRYU, J.: See SUZUMA, K., 409
- KISHI, S.: See IIDA, T., 70
- KISHI, S.: See TAKAHASHI, K., 91, 791
- KITA, M.: See SUZUMA, K., 409
- KLAPPER, S. R., JORDAN, D. R., PELLETIER, C., BROWN-STEIN, S., and PUNJA, K.: Ptosis in Waldenström's macroglobulinemia, 315
- KLAREN, V. N. A., VAN DOORNIK, C. E. M., ONGKO-SUWITO, J. V., FERON, E. J., and KIJLSTRA, A.: Differences between intraocular and serum antibody responses in patients with ocular toxoplasmosis, 698
- KLEIN, B. E. K., KLEIN, R., LEE, K. E.: Diabetes, cardiovascular disease, selected cardiovascular disease risk factors, and the five-year incidence of age-related cataract and progression of lens opacities: the Beaver Dam Eye Study, 782
- KLEIN, M. L.: See EDWARDS, A. O., 417
- KLEIN, R.: See KLEIN, B. E. K., 782
- KNIGHT, C.: See KOSMORSKY, G., 288
- KNOX, C. M., WONG, I. G., HOWES, E. L., BARKIN, A., and KEARNEY, J.: Vitritis and Waldenström's macroglobulinemia, 314
- KOCH, D.: Corneal Disorders—Clinical Diagnosis and Management, by Leibowitz, H. M., and Waring, G. O. III (book review), 855
- KOHNO, T., MIKI, T., and HAYASHI, K.: Choroidopathy after blunt trauma to the eye: a fluorescein and indocyanine green angiographic study, 248
- KONISHI, M., MASHIMA, Y., YAMADA, M., KUDOH, J., and SHIMIZU, N.: The classic form of granular corneal dystrophy associated with R555W mutation in the BIGH3 gene is rare in Japanese patients, 450
- KONO, Y.: See EMDADI, A., 763
- KOSMORSKY, G. S., MEISLER, D. M., RICE, T. W., MEZIANE, M. A., and LOWDER, C. Y.: Chest computed tomography and mediastinoscopy in the diagnosis of sarcoidosis-associated uveitis, 132
- KOSMORSKY, G. S.: See GUEMES, A., 833
- KOSMORSKY, G. S., STRAGA, J., KNIGHT, C., DAGIRMANJIAN, A., and DAVIS, D. A.: The role of transcranial Doppler in nonarteritic ischemic optic neuropathy, 288
- KOWALSKI, R. P., ROMANOWSKI, E. G., WAIKHOM, B., and GORDON, Y. J.: The survival of adenovirus in multidose bottles of topical fluorescein, 835
- KRAMER, M.: See WEINBERGER, D., 238
- KRUPIN, T.: See CAMRAS, C. B., 390
- KÜCHLE, M., MARDIN, C. Y., NGUYEN, N. X., MARTUS, P., and NAUMANN, G. O. H.: Quantification of aqueous melanin granules in primary pigment dispersion syndrome, 425
- KUDOH, J.: See KONISHI, M., 450
- KULKARNI, P.: See FECHTNER, R. D., 37
- KULWICHIT, W.: Antiviral chemoprophylaxis after occupational exposure to human immunodeficiency virus (correspondence), 328
- KUMAR, A.: See PANDA, A., 151
- KUPIN, T. H.: See KIM, Y. Y., 755
- KUSAKA, S.: See FUJIKADO, T., 839
- KWON, Y. H., PARK, H. J., JAP, A., UGURLU, S., and CAPRIOLI, J.: Test-retest variability of blue-on-yellow perimetry is greater than white-on-white perimetry in normal subjects, 29

L

- LABREE, L. D.: See TANZER, D. J., 625
- LAI, J. C.: The Massachusetts Eye and Ear Infirmary Illustrated Manual of Ophthalmology, by Friedman, N. J. (book review), 854
- LAIDLAW, D. A. H., and POYNTER, R.: Giant pigment epithelial tear and exudative retinal detachment complicating choroidal effusions, 448
- LAM, D. S. C., NG, J. S. K., CHENG, G. P. M., and LI, R. T. H.: Autogenous palmaris longus tendon as frontalis suspension material for ptosis correction in children, 109
- LANNING, R. C.: See SHAH, G. K., 446
- LAPIDOT, M.: See FINK, A., 305
- LARSEN, M.: See CHRISTOFFERSEN, N., 454
- LEE, A. G.: Ocular manifestations of giant cell arteritis (correspondence), 743
- LEE, A. G.: See BRAZIS, P. W., 850
- LEE, D.: See KIM, Y. Y., 721, 1016
- LEE, K. E.: See KLEIN, B. E. K., 782
- LEE, M. S., and GONZALEZ, C.: Reply to KÄSMANN-KELLNER, B.: Unilateral peripapillary myelinated retinal nerve fibers associated with strabismus, amblyopia, and myopia (correspondence), 853
- LEIBA, H., BARASH, J., and POLLACK, A.: Poststreptococcal uveitis, 317
- LESSELL, S.: See POMERANZ, H. D., 609
- LEVINSON, R. D., HOOKS, J. J., WANG, Y., CHIU, M. T., KELLAWAY, J., and CHAN, C.-C.: Triple viral retinitis diagnosed by polymerase chain reaction of the vitreous biopsy in a patient with Richter syndrome, 732
- LÉVY, C.: See BIOUSSE, V., 565
- LEWIS, H.: See HUMAYUN, M., 358
- LEWIS, H.: Subfoveal choroidal neovascularization: is there a role for submacular surgery? (editorial), 127
- LEWIS, J. M.: See TSUJIKAWA, M., 348
- LI, R. T. H.: See LAM, D. S. C., 109
- LIM, R., MITCHELL, P., and CUMMING, R. G.: Cataract associations with pinguecula and pterygium: the Blue Mountains Eye Study, 717
- LIN-BON-SIONG, R.: See PEPOSE, J. S., 328
- LIPSHITZ, T.: See BARASH, D., 197
- LIVIR-RALLATOS, C., EL-SHABRAWI, Y., ZATIRAKIS, P., PELLETT, P. E., STAMEY, F. R., and FOSTER, C. S.: Recurrent nodular scleritis associated with varicella zoster virus, 594

LLOYD, C.: See SPONSEL, W. E., 156
 LLOYD-MUHAMMAD, R. A.: See CHUNG, P. Y., 185
 LOCKLEY, S. W.: See TABANDEH, H., 707
 LOWDER, C. Y.: See KOSMORSKY, G. S., 132
 LOWDER, C. Y.: See SANISLO, S. R., 318
 LUCIANO, R.: See PAPACCI, P., 691
 LUSTGARTEN, J.: See CAMRAS, C. B., 390
 LYNCH, M. G.: See BECK, A. D., 648
 LYNN, M. J.: See BECK, A. D., 648

M

MAEDA, N.: See OKADA, M., 169, 535
 MAGAT-GORDON, C. B.: See WISOTSKY, B. J., 137
 MAHMOOD, M. A., and AWAD, A.: Congenital sclerocorneal epithelial cyst, 740
 MAKSYMOWYCH, W. P.: See GOTO, K., 436
 MARCHINI, G., TOSI, R., PAROLINI, B., CASTAGNA, G., and ZARBIN, M.: Choroidal calcification in Bartter syndrome, 727
 MARDIN, C. Y.: See KÜCHLE, M., 425
 MARGO, C. E.: See AYYALA, R. S., 602
 MARKS, S. J.: See ALLEE, S. D., 309
 MARTIN, T. J.: See JACOBSON, D. M., 291
 MARTUS, P.: See KÜCHLE, M., 425
 MASHIMA, Y.: See KONISHI, M., 450
 MASSARO-GIORDANO, M., KIRSCHNER, R. A., and WULC, A. E.: Orbital floor implant migration across the ethmoidal sinuses and nasal septum, 848
 MAUMANN, G. O. H.: See RUMMELT, V., 303
 MAUS, M.: See PERRY, J. D., 811
 MAVERICK, K. J.: See HOLLADAY, J. T., 338
 MAZOW, M. L.: See WOOD, M. G., 100
 McALLISTER, I. L., DOUGLAS, J. P., CONSTABLE, I. J., and YU, D.-Y.: Laser-induced chorioretinal venous anastomosis for nonischemic central retinal vein occlusion: evaluation of the complications and their risk factors, 219
 McCUEN, B. W. II: See NEELY, K. A., 82
 McDONALD, H. R.: See JOHNSON, R. N., 837
 McDONNELL, P. J.: See SEITZ, B., 630
 McDONNELL, P. J.: See TANZER, D. J., 625
 McNUSSEN, P. J.: See JACOBSON, D. M., 291
 MEHAFFEY, M. G., GARDNER, L. M., and FOLBERG, R.: Distribution of prognostically important vascular patterns across multiple levels in ciliary body and choroidal melanomas, 373
 MEHAFFEY, M. G.: See RUMMELT, V., 303
 MEISLER, D. M.: See GUEMES, A., 833
 MEISLER, D. M.: See KOSMORSKY, G. S., 132
 MENAPACE, R.: See DREXLER, W., 524
 MEZIANE, M. A.: See KOSMORSKY, G. S., 132
 MICHAEL, A. J.: See FECHTNER, R. D., 37
 MIKI, T.: See KOHNO, T., 248

MILAM, A. H.: See WHITCUP, S. M., 230
 MILLER, N. R.: See CASTELBUONO, A., 432
 MILLER, N. R.: See JACOBSON, D. M., 291
 MILLER, N. R.: See PERRY, J. D., 456
 MINCKLER, D.: See CAMRAS, C. B., 390
 MINES, J. A.: See AYYALA, R. S., 602
 MISCH, D. M.: See AYYALA, R. S., 602
 MITCHELL, P.: See LIM, R., 717
 MITCHELL, S. M.: See HENDERSON, H. W. A., 462
 MIYAKE, K.: Reply to STARR, M. B.: Liquefied aftercataract: a complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule (correspondence), 612
 MIYASHIRO, M. J., YEE, R. W., PATEL, G., KARAS, Y., and GRENE, R. B.: Lasso procedure to revise overcorrection with radial keratotomy, 825
 MIZUKI, N.: See GOTO, K., 436
 MOHNEY, B. G., ROBERTSON, D. M., SCHOMBERG, P. J., and HODGE, D. O.: Second nonocular tumors in survivors of heritable retinoblastoma and prior radiation therapy, 269
 MOHSIN, N. C.: See HAN, D. P., 658
 MONDEN, Y.: See TSUBOTA, K., 1
 MOODIE, D. S.: See GUEMES, A., 833
 MORAD, Y., SHARON, E., HEFETZ, L., and NEMET, P.: Reply to FRUEH, B. E.: Corneal thickness and curvature in normal-tension glaucoma (correspondence), 326
 MOREIRA, L.: See SEITZ, B., 630
 MORSE, L. S.: See SHAIKH, S., 798
 MOTOKURA, M.: See OSHIMA, Y., 669
 MOTOKURA, M.: See TSUJIKAWA, M., 348
 MUELLER, A. J.: See AVILA, C. P., JR, 683
 MUNKEL, G.: See ZOGRAFOS, L., 261
 MURAOKA, K.: See TAKAHASHI, K., 91, 791
 MUSSON, K. H.: See CHIU, A. M., 116
 MYERS, J. S.: See YANG, C. B., 600

N

NAGASHIMA, K.: Gravity, blink rate, and lacrimal drainage capacity (correspondence), 152
 NAKAE, K.: See OSHIMA, Y., 669
 NAKAMURA, Y.: See OHTSUKA, K., 805
 NAO-I, N.: See ARAI, M., 466
 NAUMANN, G. O. H.: See HISCOTT, P., 735
 NAUMANN, G. O. H.: See HOLBACH, L. M., 592
 NAUMANN, G. O. H.: See KÜCHLE, M., 425
 NAUMANN, G. O. H.: See TSO, M. O. M., 582
 NEELY, K. A., SCROGGS, M. W., and McCUEN, B. W. II: Peripheral retinal cryotherapy for postvitrectomy diabetic vitreous hemorrhage in phakic eyes, 82
 NELSON, P.: See KERR, J., 42
 NEMET, P.: See MORAD, Y., 326
 NETLAND, P. A.: See CHUNG, P. Y., 185

- NEUMANN, P. E.: See GUPTA, S. K., 203
 NEUMANN, P. E.: See TREMBLAY, F., 211
 NEWMAN, N. J.: See BIOUSSE, V., 852
 NEWMAN, N. J.: See BRAZIS, P. W., 850
 NG, E. W. M., SAMIY, N., RUOFF, K. L., COUSINS, F. V.,
 HOOPER, D. C., VON GUNTEN, S., D'AMICO,
 D. J., and BAKER, A. S.: Treatment of experimental
Staphylococcus epidermidis endophthalmitis with oral
 trovafloxacin, 278
 NG, J. S. K.: See LAM, D. S. C., 109
 NGUYEN, N. X.: See KÜCHLE, M., 425
 NGUYEN, R.: See TRIFAN, O. C., 17
 NISHIDA, K.: See DOTA, A., 832
 NISHIDA, K.: See OKADA, M., 169, 535
 NISHIMURA, J. K., COOK, B. E., JR., and PACH, J. M.:
 Whipple disease presenting as posterior uveitis without
 prominent gastrointestinal symptoms, 130
 NISSEN, M.: See ABRAMSON, D. H., 733
 NOE, R.: See BECK, A. D., 648
 NOVACK, G. D.: Regulatory review intervals for ophthalmic
 new drug applications at the US Food and Drug
 Administration, 122
 NOWINSKI, T. S.: See PERRY, J. D., 811
 NUSSENBLATT, R. B.: Reduction of cyclosporine dosage with
 ketoconazole in a patient with birdshot retinochoroid-
 opathy (correspondence), 742
 NUSSENBLATT, R. B.: See WHITCUP, S. M., 230

O

- O'BRIEN, C.: See KERR, J., 42
 O'GRADY, R. B.: See FEDER, R. S., 9
 OGURA, Y.: See SUZUMA, K., 409
 OHJI, M.: See FUJIKADO, T., 839
 OHJI, M.: See TSUJIKAWA, M., 348
 OHNO, S.: See GOTO, K., 436
 OHTSUKA, K., and NAKAMURA, Y.: Human leukocyte
 antigens associated with hyperthyroid Graves ophthal-
 mology in Japanese patients, 805
 OKADA, M., YAMAMOTO, S., TSUJIKAWA, M., WA-
 TANABE, H., INOUE, Y., MAEDA, N., SHIMO-
 MURA, Y., NISHIDA, K., QUANTOCK, A. J.,
 KINOSHITA, S., and TANO, Y.: Two distinct kerato-
 epithelin mutations in Reis-Bücklers corneal dystro-
 phy, 535
 OKADA, M., YAMAMOTO, S., WATANABE, H., INOUE,
 Y., TSUJIKAWA, M., MAEDA, N., SHIMOMURA,
 Y., NISHIDA, K., KINOSHITA, S., and TANO, Y.:
 Granular corneal dystrophy with homozygous muta-
 tions in the kerato-epithelin gene, 169
 OLSON, R. J., CALDWELL, K. D., CRANDALL, A. S.,
 JENSEN, M. K., and HUANG, S.-H.: Intraoperative
 crystallization on the intraocular lens surface, 177
 ONGKOSUWITO, J. V.: See KLAREN, V. N. A., 698
 OSHIMA, Y., IKUNO, Y., MOTOKURA, M., NAKAE, K.,
 and TANO, Y.: Complete epiretinal membrane sepa-
 ration in highly myopic eyes with retinal detachment
 resulting from a macular hole, 669
 OTA, M.: See GOTO, K., 436
 OWENS, S. L.: See GROSS-JENDROSKA, M., 77
 OZAKI, S.: See SUZUMA, K., 409

P

- PACH, J. M.: See NISHIMURA, J. K., 130
 PALAO, S. W.: See ROSS, R. D., 155
 PALESTINE, A. G.: See JABS, D. A., 817
 PANDA, A., DAS, G. K., TULI, S. W., and KUMAR, A.:
 Reply to RUBINFELD, R. S.: Randomized trial of
 intraoperative mitomycin C in surgery for pterygium
 (correspondence), 151
 PAPACCI, P., ROMAGNOLI, C., FAVUZZI, A., LUCIANO,
 R., GIANNINI, R., DE CAROLIS, M. P., and TOR-
 TOROLO, G.: Doppler ultrasound of blood flow veloc-
 ities in ophthalmic and central retinal arteries during
 the early neonatal period, 691
 PARK, H. J.: See KWON, Y. H., 29
 PAROLINI, B.: See MARCHINI, G., 727
 PARSA, C. F.: Harley's Pediatric Ophthalmology. Fourth
 Edition, by Nelson, L. B. (ed.) (book review), 745
 PATEL, G.: See MIYASHIRO, M. J., 825
 PAULTER, S. E.: See AYYALA, R. S., 602
 PAVLIN, C. J., BURNS, P. N., and FOSTER, F. S.: Use of
 microbubble ultrasound contrast agent to demonstrate
 the iris valve effect in human eye bank eyes, 719
 PAVLIN, C. J., CHRISTOPHER, D. A., BURNS, P. N., and
 FOSTER, F. S.: High-frequency Doppler ultrasound
 examination of blood flow in the anterior segment of
 the eye, 597
 PECE, A., SADUN, F., TRABUCCHI, G., and BRANCATO,
 R.: Indocyanine green angiography in enlarged blind
 spot syndrome, 604
 PE'ER, J.: See RUMMELT, V., 303
 PELLETIER, C.: See KLAPPER, S. R., 315
 PELLETT, P. E.: See LIVIR-RALLATOS, C., 594
 PENLAND, R. L., and WILHELMUS, K. R.: Laboratory
 diagnosis of *Acanthamoeba* keratitis using buffered char-
 coal-yeast extract agar, 590
 PENNE, R. B.: See PERRY, J. D., 811
 PEPOSE, J. S., and LIN-BON-SIONG, R.: Reply to BAUM, J.:
 Efficacy and safety of the Protek (Vifilcon A) therapeu-
 tic soft contact lens (correspondence), 328
 PERRY, J. D., GIRKIN, C. A., MILLER, N. R., and KERR,
 D. A.: Herpes simplex encephalitis and bilateral acute
 retinal necrosis syndrome after craniotomy, 456
 PERRY, J. D., MAUS, M., NOWINSKI, T. S., and PENNE,
 R. B.: Balloon catheter dilation for treatment of adults
 with partial nasolacrimal duct obstruction: a prelimi-
 nary report, 811
 PETERSEIM, M. W.: See ENYEDI, L. B., 772
 POLLACK, A.: See LEIBA, H., 317
 POLLOCK, S. C.: See JACOBSON, D. M., 291

POMERANZ, H. D., HENSON, J. W., and LESSELL, S.: Radiation-associated cerebral blindness, 609

PORGES, Y., BLUMEN, S., FIREMAN, Z., STERNBERG, A., and ZAMIR, D.: Cyclosporine-induced optic neuropathy, ophthalmoplegia, and nystagmus in a patient with Crohn disease, 607

POYNTER, R.: See LAIDLAW, D. A. H., 448

PRAGER, T. C.: See WOOD, M. G., 100

PRIEL, E.: See WEINBERGER, D., 238

PUECH, M.: See COHEN, S. Y., 320

PUKLIN, J. E.: See WISOTSKY, B. J., 137

PUNJA, K.: See KLAPPER, S. R., 315

Q

QUANTOCK, A. J.: See DOTA, A., 832

QUANTOCK, A. J.: See OKADA, M., 535

R

RAINER, G.: See DREXLER, W., 524

RAJA, S.: See TRIFAN, O. C., 17

REALINI, T.: See FECHTNER, R. D., 37

REN, J.: See KIM, Y. Y., 755

REPPUCCI, V. S.: See BARILE, G. R., 379

RICE, T. W.: See KOSMORSKY, G. S., 132

RICHARDS, D. W.: See AYYALA, R. S., 602

RITCH, R.: Pigment dispersion syndrome (editorial), 442

RITCH, R.: See CAMRAS, C. B., 390

ROBERTSON, D. M.: See MOHNEY, B. G., 269

ROBIN, A. L.: See CAMRAS, C. B., 390

ROHRSCHEIDER, K., BECKER, M., SCHUMACHER, N., FENDRICH, T., and VOLCKER, H. E.: Normal values for fundus perimetry with the scanning laser ophthalmoscope, 52

ROMAGNOLI, C.: See PAPACCI, P., 691

ROMANOWSKI, E. G.: See KOWALSKI, R. P., 835

ROMERO, J. M., FINGER, P. T., IEZZI, R., ROSEN, R. B., and COCKER, R. S.: Three-dimensional ultrasonography of choroidal melanoma: extrascleral extension, 842

ROSEN, R. B.: See ROMERO, J. M., 842

ROSS, R. D., BAROFSKY, J. M., COHEN, G., BABER, W. B., PALAO, S. W., and GITTER, K. A.: Reply to CIULLA, T. A.: Presumed macular choroidal watershed vascular filling, choroidal neovascularization, and systemic vascular disease in patients with age-related macular degeneration (correspondence), 155

ROWSEY, J.: LASIK, by Pallikaris, I., and Siganos, D. (eds.) (book review), 158

ROWSEY, J.: LASIK. Principles and Techniques, by Buratto, L., and Brint, S. F. (book review), 158

RUBINFELD, R. S., and STEIN, R. M.: Randomized trial of intraoperative mitomycin C in surgery for pterygium (correspondence), 151

RUBINO, G.: See EDELSTEIN, C., 469

RUMMELT, V., MEHAFFEY, M. G., CAMPBELL, J., PE'ER, J., BENTLER, S. E., WOOLSON, R. F., NAUMANN,

G. O. H., and FOLBERG, R.: Microcirculation architecture of metastases from primary ciliary body and choroidal melanomas, 303

RUOFF, K. L.: See NG, E. W. M., 278

RUPRECHT, K. W.: See KÄSMANN-KELLNER, B., 853

RUST, K.: See EDWARDS, A. O., 417

S

SADUN, F.: See PECE, A., 604

SAHLIN, S., and CHEN, E.: Reply to NAGASHIMA, K.: Gravity, blink rate, and lacrimal drainage capacity (correspondence), 152

SAITO, Y.: See TSUJIKAWA, M., 348

SAMIY, N.: See NG, E. W. M., 278

SAMPLE, P. A.: See EMDADI, A., 763

SANCHEZ, D.: See SEITZ, B., 630

SANDER, B.: See CHRISTOFFERSEN, N., 454

SANISLO, S. R., LOWDER, C. Y., and KAISER, P. K.: Optic nerve head neovascularization in a patient with inactive cytomegalovirus retinitis and immune recovery, 318

SARFARAZI, M.: See TRIFAN, O. C., 17

SATAKE, Y.: See TSUBOTA, K., 1

SAVAGE, J. A.: See CALLANAN, D., 134

SAWA, M.: See TSUJIKAWA, M., 348

SAWADA, A.: See ARAI, M., 466

SCHACHAT, A.: Fluorescein and ICG Angiography Text and Atlas, by Richard, G. (book review), 854

SCHAISSON, M.: See BIOUSSE, V., 565

SCHALLHORN, S. C.: See TANZER, D. J., 625

SCHATZ, H.: See JOHNSON, R. N., 837

SCHIFF, W. M.: See BARILE, G. R., 379

SCHOEN, R. H.: Contact Lenses: Fundamentals and Clinical Use, by Stein, H. A., Freeman, M. I., Stein, R. M., and Maund, L. D. (book review), 331

SCHOMBERG, P. J.: See MOHNEY, B. G., 269

SCHUMACHER, N.: See ROHRSCHEIDER, K., 52

SCHUMAN, J. S.: See CHUNG, P. Y., 185

SCHUMER, R. A.: See CAMRAS, C. B., 390

SCROGGS, M. W.: See NEELY, K. A., 82

SEARS, J. E., CAPONE, A., JR, AABERG, T. M., Sr, and JANUARY, B.: Ciliary body endophotocoagulation during pars plana vitrectomy for pediatric patients with vitreoretinal disorders and glaucoma, 723

SEITZ, B., MOREIRA, L., BAKTANIAN, E., SANCHEZ, D., GRAY, B., GORDON, E. M., ANDERSON, W. F., and McDONNELL, P. J.: Retroviral vector-mediated gene transfer into keratocytes in vitro and in vivo, 630

SEITZ, B.: See HISCOTT, P., 735

SERVODIDIO, C. A.: See ABRAMSON, D. H., 733

SEXTON, R. M.: See KIM, Y. Y., 755

SHAH, G. K., SHIELDS, J. A., and LANNING, R. C.: Branch retinal vein obstruction secondary to retinal arteriovenous communication, 446

SHAIKH, S., MORSE, L. S., GOLDBLUM, R. M., BENNER,

- J. D., BURNETT, H., and CASPAR, J.: The effect of silicone ocular surgical devices on serum IgG binding to silicones, 798
- SHARON, E.: See MORAD, Y., 326
- SHELTON, K.: See BURNSTEIN, Y., 136
- SHERWOOD, M.: See CAMRAS, C. B., 390
- SHIELDS, B.: See YOUN, J., 640
- SHIELDS, C. L.: See SHIELDS, J. A., 846
- SHIELDS, J. A.: See SHAH, G. K., 446
- SHIELDS, J. A., SHIELDS, C. L., and EAGLE, R. C., JR: Trichoadenoma of the eyelid, 846
- SHIGETO, M.: See GOTO, M., 144
- SHIMAZAKI, J.: See TSUBOTA, K., 1
- SHIMIZU, K.: See IIDA, T., 70
- SHIMIZU, K.: See TAKAHASHI, K., 91, 791
- SHIMIZU, N.: See KONISHI, M., 450
- SHIMOMURA, Y.: See OKADA, M., 169, 535
- SHIN, D. H.: Reply to WEENE, L. E.: Primary glaucoma triple procedure in patients with primary open-angle glaucoma (correspondence), 325
- SHIN, D. H.: See KIM, Y. Y., 721, 755
- SILVER, L. H., and the BRINZOLAMIDE PRIMARY THERAPY STUDY GROUP: Clinical efficacy and safety of brinzolamide (AzoptTM), a new topical carbonic anhydrase inhibitor for primary open-angle glaucoma and ocular hypertension, 400
- SILVERSTEIN, B.: Reply to NUSSENBLATT, R. B.: Reduction of cyclosporine dosage with ketoconazole in a patient with birdshot retinochoroidopathy (correspondence), 742
- SKENE, D. J.: See TABANDEH, H., 707
- SNYDER, L. A.: Ophthalmic Diagnosis and Treatment, by Yanoff, M. (ed.) (book review), 857
- SOLOMON, K.: Cataract Surgery. The State of the Art, by Gills, J. P. (ed.) (book review), 331
- SOLOMON, K.: Phacoemulsification. Principles and Techniques, by Buratto, L. (ed.) (book review), 332
- SOUTHEASTERN WISCONSIN PNEUMATIC RETINOPEXY STUDY GROUP: See HAN, D. P., 658
- SPIERER, A.: See FINK, A., 305
- SPONSEL, W. E., TRIGO, Y., HENDRICKS, J., LLOYD, C.: Frequency doubling perimetry (correspondence), 156
- STAMEY, F. R.: See LIVIR-RALLATOS, C., 594
- STARR, M. B.: Liquefied aftercataract: a complication of continuous curvilinear capsulorhexis and intraocular lens implantation in the lens capsule (correspondence), 612
- STEIN, R. M.: See RUBINFELD, R. S., 151
- STEINMANN, T. L., DENTON, N. C., and BROWN, M. F.: Corneal lenticular wrinkling after automated lamellar keratoplasty, 588
- STERNBERG, A.: See PORGES, Y., 607
- STERNBERG, P., JR: See HUMAYUN, M., 358
- STEWART, W. C.: See CAMRAS, C. B., 390
- STJERNSCHANTZ, J.: See CAMRAS, C. B., 390
- STOILLOVA, D.: See TRIFAN, O. C., 17
- STONE, E. M.: See JACOBSON, D. M., 291
- STRAGA, J.: See KOSMORSKY, G., 288
- STURM, R. T.: See CARONIA, R. M., 307
- SUI, R.: See ZHAO, J., 506, 515
- SUZUMA, K., KITA, M., YAMANA, T., OZAKI, S., TAKAGI, H., KIRYU, J., and OGURA, Y.: Quantitative assessment of macular edema with retinal vein occlusion, 409

T

- TABANDEH, H., LOCKLEY, S. W., BUTTERY, R., SKENE, D. J., DEFRANCE, R., ARENDT, J., and BIRD, A. C.: Disturbance of sleep in blindness, 707
- TAKAGI, H.: See SUZUMA, K., 409
- TAKAHASHI, K., KISHI, S., MURAOKA, K., and SHIMIZU, K.: Reperfusion of occluded capillary beds in diabetic retinopathy, 791
- TAKAHASHI, K., MURAOKA, K., KISHI, S., and SHIMIZU, K.: Formation of retinochoroidal collaterals in central retinal vein occlusion, 91
- TALKS, S. J.: See TUFT, S. J., 586
- TAMAI, M.: See ARAKAWA, A., 838
- TANAKA, H., YUKI, N., and HIRATA, K.: Trochlear nerve enhancement on three-dimensional magnetic resonance imaging in Fisher syndrome, 322
- TANIHARA, H.: See HONJO, M., 823
- TANNA, A. P.: Stereo Atlas of Glaucoma, by Campbell, D. G., and Netland, P. A. (book review), 615
- TANO, Y.: See FUJIKADO, T., 839
- TANO, Y.: See OKADA, M., 169, 535
- TANO, Y.: See OSHIMA, Y., 669
- TANO, Y.: See TSUJIKAWA, M., 348
- TANZER, D. J., ISFAHANI, A., SCHALLHORN, S. C., LABREE, L. D., and McDONNELL, P. J.: Photorefractive keratectomy in African Americans including those with known dermatologic keloid formation, 625
- TARKANIAN, C. N.: See HAN, D. P., 658
- TAYLOR, R. J.: See DONAHUE, S. P., 476
- THIRKILL, C. E.: See KELTNER, J. L., 296
- TO, K., ADAMIAN, M., JAKOBIEC, F. A., and BERSON, E. L.: Histopathologic and immunohistochemical study of dominant cone degeneration, 140
- TORTOROLO, G.: See PAPACCI, P., 691
- TOSI, R.: See MARCHINI, G., 727
- TOUBOUL, P.-J.: See BIOUSSE, V., 565
- TRABOULSI, E. I.: See GUEMES, A., 833
- TRABOULSI, E. I.: See TRIFAN, O. C., 17
- TRABUCCHI, G.: See PECE, A., 604
- TREMBLAY, F., GUPTA, S. K., DE BECKER, I., GUERNSEY, D. L., and NEUMANN, P. E.: Effects of PAX6 mutations on retinal function: an electroretinographic study, 211
- TREMBLAY, F.: See GUPTA, S. K., 203

TRIFAN, O. C., TRABOULSI, E. I., STOILOVA, D., ALOZIE, I., NGUYEN, R., RAJA, S., and SARFARAZI, M.: A third locus (GLC1D) for adult-onset primary open-angle glaucoma maps to the 8q23 region, 17

TRIGO, Y.: See SPONSEL, W. E., 156

TROBE, J. D.: See CHIU, A. M., 116

TSO, M. O. M., NAUMANN, G. O. H., and ZHANG, S.-Y.: Studies of prevalence of blindness in the Asia-Pacific region and the worldwide initiative in ophthalmic education (editorial), 582

TSUBOTA, K., KAIDO, M., MONDEN, Y., SATAKE, Y., BISSEN-MIYAJIMA, H., and SHIMAZAKI, J.: A new surgical technique for deep lamellar keratoplasty with single running suture adjustment, 1

TSUJIKAWA, K.: See TSUJIKAWA, M., 348

TSUJIKAWA, M., SAWA, M., LEWIS, J. M., MOTOKURA, M., TSUJIKAWA, K., OHJI, M., SAITO, Y., and TANO, Y.: Choroidretinal damage caused by the excision of choroidal neovascularization, 348

TSUJIKAWA, M.: See OKADA, M., 169, 535

TSUKAHARA, S.: See IJIMA, H., 312, 677

TUFT, S. J., and TALKS, S. J.: Delayed dislocation of foldable plate-haptic silicone lenses after Nd:YAG laser anterior capsulotomy, 586

TULI, S. W.: See PANDA, A., 151

TZADOK, D.: See BARASH, D., 197

U

UGURLU, S.: See KWON, Y. H., 29

UHLIG, C. E., and GERDING, H.: A dummy orbit for training in diagnostic procedures and laser surgery with enucleated eyes, 464

UNITED STATES LATANOPROST STUDY GROUP: See CAMRAS, C. B., 390

V

VAN DOORNIK, C. E. M.: See KLAREN, V. N. A., 698

VANLANDINGHAM, B. D., and BRUBAKER, R. F.: Combined effect of dorzolamide and latanoprost on the rate of aqueous humor flow, 191

VASS, C.: See DREXLER, W., 524

VISTICA, B. P.: See WHITCUP, S. M., 230

VÖLCKER, H. E.: See ROHRSCHEIDER, K., 52

VOLD, S. D.: See FEDER, R. S., 9

VON GUNTEN, S.: See NG, E. W. M., 278

W

WADE, N. K.: See WONG, V. A., 452

WAIKHOM, B.: See KOWALSKI, R. P., 835

WANG, Y.: See LEVINSON, R. D., 732

WARWAR, R.: See FECHTNER, R. D., 37

WATANABE, H.: See OKADA, M., 169, 535

WAX, M. B.: See CAMRAS, C. B., 390

WEENE, L. E.: Primary glaucoma triple procedure in patients with primary open-angle glaucoma (correspondence), 325

WEIDENTHAL, D. T.: See BARNARD, T. A., 149

WEINBERGER, D., KRAMER, M., PRIEL, E., GATON, D. D., AXER-SIEGEL, R., and YASSUR, Y.: Indocyanine green angiographic findings in nonproliferative diabetic retinopathy, 238

WEINBERGER, D.: See BARASH, D., 197

WEINREB, R. N.: See EMDADI, A., 763

WEINREB, R.: See CAMRAS, C. B., 390

WEINTRAUB, J.: See CARONIA, R. M., 307

WEISS, J. N.: Treatment of central retinal vein occlusion by injection of tissue plasminogen activator into a retinal vein, 143

WELEBER, R. G.: See EDWARDS, A. O., 417

WHITCUP, S. M., VISTICA, B. P., MILAM, A. H., NUSSENBLATT, R. B., and GERY, I.: Recoverin-associated retinopathy: a clinically and immunologically distinctive disease, 230

WIEDEMANN, P., HILGERS, R. D., BAUER, P., HEIMANN, K., for the DAUNOMYCIN STUDY GROUP: Adjunctive daunorubicin in the treatment of proliferative vitreoretinopathy: results of a multicenter clinical trial, 550

WILENSKY, J.: See CAMRAS, C. B., 390

WILHELMUS, K. R.: See FEDER, R. S., 9

WILHELMUS, K. R.: See PENLAND, R. L., 590

WILSON, S. E.: See KAPADIA, M. S., 827

WILSON, W. R.: See BECK, A. D., 648

WIRTZ, M. K.: See EDWARDS, A. O., 417

WISOTSKY, B. J., MAGAT-GORDON, C. B., and PUKLIN, J. E.: Vitreopapillary traction as a cause of elevated optic nerve head, 137

WONG, D. T.: See BARILE, G. R., 379

WONG, I. G.: See KNOX, C. M., 314

WONG, V. A., and WADE, N. K.: POEMS syndrome: an unusual cause of bilateral optic disk swelling, 452

WOOD, M. G., MAZOW, M. L., and PRAGER, T. C.: Accuracy of the Nidek ARK-900 objective refractor in comparison with retinoscopy in children ages 3 to 18 years, 100

WOOLSON, R. F.: See RUMMELT, V., 303

WULC, A. E.: See MASSARO-GIORDANO, M., 848

Y

YABUKI, K.: See GOTO, K., 436

YAMADA, M.: See KONISHI, M., 450

YAMAMOTO, M.: See GOTOH, M., 144

YAMAMOTO, S.: See OKADA, M., 169, 535

YAMANA, T.: See SUZUMA, K., 409

YANG, C. B., MYERS, J. S., FREEDMAN, S. F., BUCKLEY, E. G., HERNDON, L. W., and ALLINGHAM, R. R.: Use of latanoprost in the treatment of glaucoma associated with Sturge-Weber syndrome, 600

YASSUR, Y.: See BARASH, D., 197

YASSUR, Y.: See WEINBERGER, D., 238

YEE, R. W.: See MIYASHIRO, M. J., 825

YOUN, J., COX, T. A., HERNDON, L. W., ALLINGHAM, R. R., and SHIELDS, B.: A clinical comparison of transscleral cyclophotocoagulation with neodymium: YAG and semiconductor diode lasers, 640

YU, D.-Y.: See McALLISTER, I. L., 219

YUKI, N.: See TANAKA, H., 322

Z

ZAMIR, D.: See PORGES, Y., 607

ZANGWILL, L.: See EMDADI, A., 763

ZARBIN, M.: See MARCHINI, G., 727

ZATIRAKIS, P.: See LIVIR-RALLATOS, C., 594

ZHANG, S.-Y.: See TSO, M. O. M., 582

ZHAO, J., JIA, L., SUI, R., and ELLWEIN, L. B.: Prevalence of blindness and cataract surgery in Shunyi County, China, 506

ZHAO, J., JIA, L., SUI, R., and ELLWEIN, L. B.: Visual acuity and quality of life outcomes in patients with cataract in Shunyi County, China, 515

ZIMMERMAN, T. J.: See CAMRAS, C. B., 390

ZIMMERMAN, T. J.: See FECHTNER, R. D., 37

ZOGRAFOS, L., EGGER, E., BERCHER, L., CHAMOT, L., and MUNKEL, G.: Proton beam irradiation of choroidal hemangiomas, 261

ABSTRACT INDEX

A

- Acyclovir**
 - Acyclovir for the prevention of recurrent herpes simplex virus eye disease, 748
- Adrenal cortex hormones**
 - Association of inhaled corticosteroid use with cataract extraction in elderly patients, 748
- Aging**
 - Association of inhaled corticosteroid use with cataract extraction in elderly patients, 748
 - Visual processing impairment and risk of motor vehicle crash among older adults, 162, 334
- Allergy and immunology**
 - Systemic and local immunological features of atopic dermatitis patients with ocular complications, 163
- Alternative medicine**
 - Why patients use alternative medicine: results of a national study, 620
- Alzheimer disease**
 - Drop the Alzheimer's drop test, 164
 - Enhanced mitotic response to topical dilute pilocarpine in patients with Alzheimer's disease, 165
 - Is videopupillography useful in the diagnosis of Alzheimer's disease?, 164
- Antibodies, antiphospholipid**
 - Transient monocular blindness and antiphospholipid antibodies in systemic lupus erythematosus, 860
- Aphakia**
 - Drug distribution in the vitreous humor of the human eye: the effects of aphakia and changes in retinal permeability and vitreous diffusivity, 163
- Atherosclerosis**
 - Homocysteine and atherothrombosis, 336
- Automobile driving**
 - Visual processing impairment and risk of motor vehicle crash among older adults, 162, 334

B

- Blindness**
 - Diabetes insipidus and blindness caused by a suprasellar tumor. Pieter Pauw's observations from the 16th century, 483
 - Is current eye-care-policy focus almost exclusively on cataract adequate to deal with blindness in India?, 480
 - Neural networks for Braille reading by the blind, 749
 - Transient monocular blindness and antiphospholipid antibodies in systemic lupus erythematosus, 860
- Brain**
 - The prognostic value of brain MRI in clinically isolated syndromes of the CNS. A 10-year follow-up, 162
 - The representation of visual salience in monkey parietal cortex, 337

C

- Carcinoma, basal cell**
 - Recurrent basal cell carcinoma in margin-positive tumors, 482
- Carotid artery diseases**
 - Ischemic optic neuropathy associated with internal carotid artery dissection, 480
- Cataract**
 - Association of inhaled corticosteroid use with cataract extraction in elderly patients, 748
 - Is current eye-care-policy focus almost exclusively on cataract adequate to deal with blindness in India?, 480
 - Sunlight exposure and risk of lens opacities in a population-based study. The Salisbury eye evaluation project, 860
- Cat-scratch disease**
 - Rapid polymerase chain reaction-based detection of the causative agent of cat-scratch disease (*Bartonella henselae*) in formalin-fixed, paraffin-embedded samples, 483
- Cell aging**
 - Telomerase and the aging cell: implications for human health, 618
- Cell cycle**
 - Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861
- Cell physiology**
 - Nonvascular contractile cells in sclera and choroid of humans and monkeys, 861
- Central nervous system**
 - The prognostic value of brain MRI in clinically isolated syndromes of the CNS. A 10-year follow-up, 162
- Cerebral infarction**
 - Cerebral microembolism in patients with retinal ischemia, 616
 - Retinocochleocerebral vasculopathy, 161
 - Susac syndrome, 161
- Chemotherapy**
 - Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, 619
- Choroid**
 - Nonvascular contractile cells in sclera and choroid of humans and monkeys, 861
- Chromosomes**
 - Familial typical migraine: linkage to chromosome 19p13 and evidence for genetic heterogeneity, 616
 - The human cornea has a high incidence of acquired chromosome abnormalities, 482
- Clinicians, nonphysician**
 - Current and projected workforce of nonphysician clinicians, 859
 - Roles of nonphysician clinicians as autonomous providers of patient care, 859

Cocaine

Cocaine reward models: conditioned place preference can be established in dopamine- and in serotonin-transporter knockout mice, 862

Color perception

Evolution of color vision in vertebrates, 752

Contact lenses

Visual and nonvisual variables implicated in monovision wear, 483

Cornea

Excimer laser photorefractive keratectomy for recurrent corneal erosion, 333

The human cornea has a high incidence of acquired chromosomal abnormalities, 482

Corneal ulcers

Different strains of *Pseudomonas aeruginosa* isolated from ocular infections or inflammation display distinct corneal pathologies in an animal model, 863

Topical treatment with nerve growth factor for corneal neurotrophic ulcers, 335

Corticosteroids

Association of inhaled corticosteroid use with cataract extraction in elderly patients, 748

Craniopharyngioma

Diabetes insipidus and blindness caused by a suprasellar tumor. Pieter Pauw's observations from the 16th century, 483

Cyclin D1

Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861

D

Dermatitis, atopic

Systemic and local immunological features of atopic dermatitis patients with ocular complications, 163

Diabetes insipidus

Diabetes insipidus and blindness caused by a suprasellar tumor. Pieter Pauw's observations from the 16th century, 483

Diabetic retinopathy

Evidence that upregulation of serum IGF-1 concentration can trigger acceleration of diabetic retinopathy, 750

Dopamine

Cocaine reward models: conditioned place preference can be established in dopamine- and in serotonin-transporter knockout mice, 862

Drug therapy

Drug distribution in the vitreous humor of the human eye: the effects of aphakia and changes in retinal permeability and vitreous diffusivity, 163

Incidence of adverse drug reactions in hospitalized patients. A meta-analysis of prospective studies, 334

E

Cerebrospinal fluid

Isolation of Inoue-Melnick virus from cerebrospinal fluid of patients with epidemic neuropathy in Cuba, 618

Optic neuritis. Prognosis for multiple sclerosis from MRI, CSF, and HLA findings, 162

G

G1 phase

Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861

Genes

Clinical features associated with mutations in the chromosome 1 open-angle glaucoma gene (GLC1A), 335

Complete genome sequence of *Treponema pallidum*, the syphilis spirochete, 863

Detection and identification of previously unrecognized microbial pathogens, 863

Detection of molecular changes in primary intraocular lymphoma by microdissection and polymerase chain reaction, 750

Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861

Familial typical migraine: linkage to chromosome 19p13 and evidence for genetic heterogeneity, 616

Localization of Wilson disease protein product to mitochondria, 619

Mutation of the Stargardt disease gene (ABCR) in age-related macular degeneration, 161

Pedigree analysis of French Canadian families with T14484C Leber's hereditary optic neuropathy, 164

Regulation of uveal melanoma interconverted phenotype by hepatocyte growth factor/scatter factor (HGF/SF), 481

Glaucoma

Clinical features associated with mutations in the chromosome 1 open-angle glaucoma gene (GLC1A), 335

Suramin inhibits wound healing following filtering procedures for glaucoma, 750

Globus pallidus

Visual fields in patients with posterior GPi pallidotomy, 480

H

Head injuries

Nonaccidental head injury in infants; the "shaken-baby syndrome," 616

Headache

Idiopathic intracranial hypertension without papilledema: a case-control study in a headache center, 749

Health personnel

Current and projected workforce of nonphysician clinicians, 859

Roles of nonphysician clinicians as autonomous providers of patient care, 859

Hearing disorders

Retinocochleocerebral vasculopathy, 161

Susac syndrome, 161

Hepatolenticular degeneration

Localization of Wilson disease protein product to mitochondria, 619

Herpes simplex

Acyclovir for the prevention of recurrent herpes simplex virus eye disease, 748

HLA antigens

Optic neuritis. Prognosis for multiple sclerosis from MRI, CSF, and HLA findings, 162

Homocysteine

Homocysteine and atherothrombosis, 336

Hyperopia

Hyperopia is predominantly axial in nature, 337

I

India

Is current eye-care-policy focus almost exclusively on cataract adequate to deal with blindness in India?, 480

Infant

Nonaccidental head injury in infants; the "shaken-baby syndrome," 616

Infection

Detection and identification of previously unrecognized microbial pathogens, 863

Different strains of *Pseudomonas aeruginosa* isolated from ocular infections or inflammation display distinct corneal pathologies in an animal model, 863

Inoue-Melnick virus

Isolation of Inoue-Melnick virus from cerebrospinal fluid of patients with epidemic neuropathy in Cuba, 618

Insulin-like growth factor I

Evidence that upregulation of serum IGF-I concentration can trigger acceleration of diabetic retinopathy, 750

Intracranial pressure

Unusual ocular motility disturbances with increased intracranial pressure, 617

Intraocular pressure

Long-term outcome of patients who undergo tonometry as part of a general physical examination, 164, 336

K

Keratectomy, photorefractive, excimer laser

Excimer laser photorefractive keratectomy for recurrent corneal erosion, 333

Keratitis, herpetic

Acyclovir for the prevention of recurrent herpes simplex virus eye disease, 748

L

Light

Lack of efficacy of light reduction in preventing retinopathy of prematurity, 479

Lupus erythematosus, systemic

Transient monocular blindness and antiphospholipid antibodies in systemic lupus erythematosus, 860

Lymphoma

Detection of molecular changes in primary intraocular lymphoma by microdissection and polymerase chain reaction, 750

M

Macular degeneration

The Alabama age-related macular degeneration grading system for donor eyes, 620

Mutation of the Stargardt disease gene (ABCR) in age-related macular degeneration, 161

Magnetic resonance imaging

Optic neuritis. Prognosis for multiple sclerosis from MRI, CSF, and HLA findings, 162

The prognostic value of brain MRI in clinically isolated syndromes of the CNS. A 10-year follow-up, 162

Medical services

Medical care delivery at the 1996 Olympic games, 481

Melanoma

Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861

Immunologic and therapeutic evaluation of a synthetic peptide vaccine for the treatment of patients with metastatic melanoma, 333

Regulation of uveal melanoma interconverted phenotype by hepatocyte growth factor/scatter factor (HGF/SF), 481

Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, 619

Vaccination of melanoma patients with peptide- or tumor lysate-pulsed dendritic cells, 333

Menopause

Menopause and tear function: the influence of prolactin and sex hormones on human tear production, 752

Migraine

Familial typical migraine: linkage to chromosome 19p13 and evidence for genetic heterogeneity, 616

Miotics

Drop the Alzheimer's drop test, 164

Enhanced miotic response to topical dilute pilocarpine in patients with Alzheimer's disease, 165

Is videopupillography useful in the diagnosis of Alzheimer's disease?, 164

Mitochondria

Localization of Wilson disease protein product to mitochondria, 619

Mitomycin C

Topical mitomycin C chemotherapy for conjunctival melanoma and PAM with atypia, 619

Multiple sclerosis

Optic neuritis. Prognosis for multiple sclerosis from MRI, CSF, and HLA findings, 162

The prognostic value of brain MRI in clinically isolated syndromes of the CNS. A 10-year follow-up, 162

Mydriatics

Drop the Alzheimer's drop test, 164

Enhanced miotic response to topical dilute pilocarpine in patients with Alzheimer's disease, 165

Is videopupillography useful in the diagnosis of Alzheimer's disease?, 164

N

Nerve growth factors

Topical treatment with nerve growth factor for corneal neurotrophic ulcers, 335

Nerve net

Neural networks for Braille reading by the blind, 749

Nerve regeneration

Regeneration and transplantation of the optic nerve: developing a clinical strategy, 617

Neural networks, anatomic

Neural networks for Braille reading by the blind, 749

Neuropathy

Isolation of Inoue-Melnick virus from cerebrospinal fluid of patients with epidemic neuropathy in Cuba, 618

O

Ocular motility disorders

Unusual ocular motility disturbances with increased intracranial pressure, 617

Optic atrophy, hereditary

Pedigree analysis of French Canadian families with T14484C Leber's hereditary optic neuropathy, 164

Optic nerve

Regeneration and transplantation of the optic nerve: developing a clinical strategy, 617

Optic neuritis

Optic neuritis. Prognosis for multiple sclerosis from MRI, CSF, and HLA findings, 162

Optic neuropathy, ischemic

Ischemic optic neuropathy associated with internal carotid artery dissection, 480

P

Parietal lobe

The representation of visual salience in monkey parietal cortex, 337

Parkinson disease

Visual fields in patients with posterior GPi pallidotomy, 480

Peer review

Effect of the quality of peer review on blinding reviewers and asking them to sign their reports: a randomized controlled trial, 751

What makes a good reviewer and a good review for a general medical journal?, 859

Periodicals

Effect of the quality of peer review on blinding reviewers and asking them to sign their reports: a randomized controlled trial, 751

What makes a good reviewer and a good review for a general medical journal?, 859

Phospholipids

Transient monocular blindness and antiphospholipid antibodies in systemic lupus erythematosus, 860

Physical examination

Long-term outcome of patients who undergo tonometry as part of a general physical examination, 164, 336

Physician-patient relations

The relationship between patient income and physician discussion of health risk behaviors, 160

Physicians

Is gatekeeping better than traditional care? A survey of physicians' attitudes, 160

Polymerase chain reaction

Detection of molecular changes in primary intraocular lymphoma by microdissection and polymerase chain reaction, 750

Rapid polymerase chain reaction-based detection of the causative agent of cat-scratch disease (*Bartonella henselae*) in formalin-fixed, paraffin-embedded samples, 483

Prion diseases

Neuro-ophthalmological aspects of prion diseases, 752

Prolactin

Menopause and tear function: the influence of prolactin and sex hormones on human tear production, 752

Pseudomonas aeruginosa

Different strains of *Pseudomonas aeruginosa* isolated from ocular infections or inflammation display distinct corneal pathologies in an animal model, 863

Pseudotumor cerebri

Effects of weight loss on the course of idiopathic intracranial hypertension in women, 336

Idiopathic intracranial hypertension without papilledema: A case-control study in a headache center, 749

R

Regeneration

Regeneration and transplantation of the optic nerve: developing a clinical strategy, 617

Retina

Distribution of tumors in the retina in hereditary retinoblastoma patients, 862

Drug distribution in the vitreous humor of the human eye: the effects of aphakia and changes in retinal permeability and vitreous diffusivity, 163

Vigabatrin-associated retinal cone system dysfunction. Electroretinogram and ophthalmologic findings, 479

Retinal vessels

Cerebral microembolism in patients with retinal ischemia, 616

Retinocochleocerebral vasculopathy, 161

Susac syndrome, 161

Retinoblastoma

Distribution of tumors in the retina in hereditary retinoblastoma patients, 862

Expression patterns of cyclin D1 and related proteins regulating G1-2 phase transition in uveal melanoma and retinoblastoma, 861

Retinopathy of prematurity

Lack of efficacy of light reduction in preventing retinopathy of prematurity, 479

S

Sclera

Nonvascular contractile cells in sclera and choroid of humans and monkeys, 861

Serotonin

Cocaine reward models: conditioned place preference can be established in dopamine- and in serotonin-transporter knockout mice, 862

Sex hormones

Menopause and tear function: the influence of prolactin and sex hormones on human tear production, 752

Smoking

The association between cigarette smoking and ocular diseases, 619

Stargardt disease

Mutation of the Stargardt disease gene (ABCR) in age-related macular degeneration, 161

Sunlight

Sunlight exposure and risk of lens opacities in a population-based study. The Salisbury eye evaluation project, 860

Suramin

Suramin inhibits wound healing following filtering procedures for glaucoma, 750

Syphilis

Complete genome sequence of *Treponema pallidum*, the syphilis spirochete, 863

T

Tears

Menopause and tear function: the influence of prolactin and sex hormones on human tear production, 752

Telemedicine

Telemedicine: where it is and where it's going, 751

Telomerase

Telomerase and the aging cell: implications for human health, 618

Thrombosis

Homocysteine and atherothrombosis, 336

Tonometry

Long-term outcome of patients who undergo tonometry as part of a general physical examination, 164, 336

Transplantation

The Alabama age-related macular degeneration grading system for donor eyes, 620

Regeneration and transplantation of the optic nerve: developing a clinical strategy, 617

Treponema pallidum

Complete genome sequence of *Treponema pallidum*, the syphilis spirochete, 863

V

Vaccines

Immunologic and therapeutic evaluation of a synthetic peptide vaccine for the treatment of patients with metastatic melanoma, 333

Vaccination of melanoma patients with peptide- or tumor lysate-pulsed dendritic cells, 333

Vigabatrin

Vigabatrin-associated retinal cone system dysfunction. Electretinogram and ophthalmologic findings, 479

Vision

The representation of visual salience in monkey parietal cortex, 337

Visual and nonvisual variables implicated in monovision wear, 483

Visual processing impairment and risk of motor vehicle crash among older adults, 162, 334

Visual fields

Visual fields in patients with posterior GPi pallidotomy, 480

Vitreous body

Drug distribution in the vitreous humor of the human eye: the effects of aphakia and changes in retinal permeability and vitreous diffusivity, 163

W

Weight loss

Effects of weight loss on the course of idiopathic intracranial hypertension in women, 336

Wilson disease

Localization of Wilson disease protein product to mitochondria, 619

Women

Effects of weight loss on the course of idiopathic intracranial hypertension in women, 336

Wound healing

Suramin inhibits wound healing following filtering procedures for glaucoma, 750

